MATERIAL SAFETY DATA SHEET

Material Number/Product Name

5708 - GOLDSTAR(R) PURE GUM ARABIC

SECTION 1 - COMPANY IDENTIFICATION

Catalog / Sub-assembly Number: 5708	
Distributed in the U.S.A. by:	Emergency Contact Information (24 Hrs.):
FUJIFILM Graphic Systems U.S.A., Inc	Transport - CHEMTREC inside NA: 800-424-9300
200 Summit Lake Drive	Transport - CHEMTREC outside NA: 703-527-3887
Valhalla, NY 10595-1356	Transport - CANUTEC Inside Canada: 613-996-6666
	Medical- PROSAR inside NA: 877-935-7387
Distributed in Canada by:	Non-emergency EHS Contact Information:

FUJIFILM Canada, Inc. 600 Suffolk Court Mississauga, Ontario L5R 4G4 Non-emergency EHS Contact Information U.S.A.: 800-473-3854 Canada: 800-263-5018

Manufactured by or on behalf of: FUJIFILM Hunt Chemicals U.S.A., Inc. 40 Boroline Road Allendale, New Jersey 07401-0320

MSDS are available at www.fujifilm.ca/msds, www.fujihuntusa.com or www.fujifilmgs.com/

FOR INDUSTRIAL USE ONLY.....USE ONLY AS DIRECTED.....DO NOT TAKE INTERNALLY!

SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS Number	Wt.%	OSHA PEL	ACGIH
			(mg/m3)	(mg/m3)
Gum Arabic	9000-01-5	15-30%	NE	NE
Water	7732-18-5	60-80%	NE	NE

NE=Not Established STEL=Short Term Exposure Limit C=Ceiling Limits

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Appearance: Clear, amber, aqueous liquid Odor: Mild odor

Avoid contact with eyes, skin or clothing. Avoid breathing mist or vapor. Do not swallow. Wear chemical safety goggles & neoprene gloves and apron. Wash thoroughly after handling. Keep container closed when not in use. Use only with adequate ventilation. May produce hazardous gases under fire conditions. During emergencies, wear equipment to protect eyes, skin and respiratory tract. Dike or absorb spills to keep material and run-off from entering sewer or waterways. Use water spray to cool containers and disperse vapors. Box may contain multiple containers having multiple components. Consult all MSDSs.

Eyes: Causes irritation.

Inhalation: Irritant to respiratory tract and mucous membranes.

Ingestion: Ingestion of product may cause nausea and vomiting.

Conditions aggravated by exposure:

Allergic reaction to gum arabic may cause respiratory distress and sensitivity.

Ν

SECTION 4 - FIRST AID MEASURES

Eye Contact: Immediately flush with COOL water for 15 minutes. Call a physician. Skin Contact: In case of skin contact; wash with soap and water for 15 minutes. Call a physician. Ingestion: In case of ingestion; induce vomiting upon medical advice. Call a physician.

Induce vomiting upon medical advice. Call a physician. Inhalation: Immediately remove victim to fresh air. Call a physician for further recommendations.

SECTION 5 - FIRE FIGHTING MEASURES

Flammable Properties						
Flash Point:		None	deg 1	F	(TCC)	
Autoignition Tempera	ature:	N/A	deg 1	F	(CC)	
Explosion Limits: I	Lower:	N/A	vol.%:		Not	Tested
τ	Jpper:	N/A	vol.%:			

Extinguishing Media:

Choose extinguishing media suitable for the surrounding materials, such as water spray, dry chemical, alcohol foam or carbon dioxide. Unsuitable Extinguishing Media:

No restrictions on media based on knowledge of this material. Fire Fighting Instructions:

Water spray should be used to cool fire exposed containers and to disperse un-ignited vapors. Use NIOSH/MSHA approved positive pressure self-contained breathing apparatus when material has ignited or becomes involved in a fire. Try to remove material containers from fire area if can be accomplished without risk to personnel.

Evacuate area and fight fire from a safe distance. Call your local fire department. Wear positive pressure, breathing apparatus and protect eyes and skin. Use water to cool fire-exposed containers, to protect personnel and to disperse vapors and spills. Fire media run-off can damage the environment. Dike and collect media used to fight fire.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Small Spills:

For small incidental spills and leaks wear chemical safety goggles, and neoprene gloves and apron or coveralls. Isolate area of spill by diking. Stop source of leak. Add dry absorbent. Clean up and place in an approved D.O.T. container and seal. Wash all contaminated clothing before reuse, and discard contaminated leather shoes.

Large Spills:

For larger spills requiring emergency response, neoprene boots and respiratory protection may also be required. Follow OSHA regulations and NIOSH recommendations for respirator use (29 CFR 1910.134 and NIOSH Pub. 87-108) and emergency response (see 29 CFR 1910.120). Isolate area of spill by diking. Stop source of leak. Add dry absorbent. Clean up and place in an approved D.O.T. container and seal. Wash all contaminated clothing before reuse, and discard contaminated leather shoes. Call the emergency telephone number shown on the front of this sheet.

SECTION 7 - HANDLING / STORAGE

Handling:

Avoid contact with eyes, skin or clothing. Avoid breathing mist or vapor. Do not swallow. Wear chemical safety goggles and neoprene gloves and apron. Wash thoroughly after handling. Keep container closed when not in use. Use only with adequate ventilation.

Storage:

Store in a cool, dry, well-ventilated area. Keep container closed when not in use.

SECTION 8 - EXPOSURE CONTROL AND PERSONAL PROTECTION

Ventilation:

Good general ventilation should be sufficient for most processing operations. Vent work area to ensure airborne concentrations are below the current occupational exposure limits. Ten (10) or more room air changes per hour containing a minimum of 15% fresh air will meet these requirements. Consult ASHRAE 62-1989 for further requirements.

Personal Protective Equipment

Respiratory Protection: If used under normal operating conditions and with adequate ventilation, respiratory protection is not required. However, refer to OSHA 29 CFR 1910.13 4.

Skin Protection:	Chemical	resistant	gloves
Eye Protection:	Chemical	safety goo	ggles

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, amber, aqueous liquid Odor: Mild odor Change in Physical State: >100 deg F Boiling Point: Melting Point: N/D deg F Specific Gravity: 1.10 Water=1 Vapour Pressure: ~17 mmHg @ 20C Viscosity: N/A Solubility in Water: Complete 4.00 pH Value: VOC (lbs/gal): 0.00 (USEPA Method 24)

SECTION 10 - STABILITY AND REACTIVITY

Hazardous Polymerization: Hazardous polymerization WILL NOT occur if product is used and stored as directed. Product is stable if used and stored as directed. Hazardous Decomposition Products: Oxides of Sulfur, oxides of Carbon

Oxides of Sullur, Oxides of Carbon

Materials and Conditions to Avoid: Keep away from excess heat. Avoid contact with strong oxidizers, strong acids and strong bases.

SECTION 11 - TOXICOLOGICAL INFORMATION

Product Information LD50 (oral, rat): No Data Available Acute Overexposure: Skin, eye, mucous membrane and respiratory tract irritant. Chronic Overexposure: Prolonged or repeated skin contact may cause allergic reaction and dermatitis. Ingredient information: No other information.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity Data: No Data Available Chemical Fate Data: No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Hazardous Waste Characteristic:

None

Recommendation:

Dispose of contaminated product, empty containers and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures. Discharge of processing effluent to the sewer may require a permit. DO NOT discharge effluent solutions to septic systems.

SECTION 14 - TRANSPORTATION INFORMATION

Ground Shipping Informat:	ion		
Proper Shipping Name:	Chemicals, N.O.I., Not D.O.T. regulated.		
Hazard Class:	None		
UN/NA Number:	None		
Packing Group:	None		
Air (ICAO/IATA) Shipping Information			
Proper Shipping Name:	Chemicals, N.O.I., Not D.O.T. regulated.		
Hazard Class:	None		
UN No:	None		
Packing Group:	None		
Subsidiary Risk:	None		
UN/DOT Labels Needed:	None		
International Maritime O:	rganization (IMO) Additional Shipping Class:		
IMDG Code:	Not Applicable		
Amdt. Code:	Amdt. N/A		
HTS Code:	Not Applicable		
Product is labeled in ac	cordance with US D.O.T. 49 CFR.		

Further information: Please call (904) 264-3500 for further D.O.T. information.

SECTION 15 - REGULATORY INFORMATION

**Note: The ingredient information listed in this section is provided for reporting requirements as dictated by USEPA, state and local regulation. If ingredient is listed in this section but not in Section 2, then the concentration of this ingredient is below de minumis (less than 0.1%).

U.S. FEDERAL REGULATIONS: 313 = SARA Title III Section 313 (40 CFR 372 -- Toxic Release Inventory) 355 = SARA Title III Section 302 (40 CFR 355 -- Extremely Hazardous Substance) 302 = SARA Title III Section 304 (40 CFR 302 -- Hazardous Substance List) CWA = Clean Water Act Priority Pollutants List CAA = Clean Air Act 1990 Hazardous Air Contaminants HAP = Clean Air Act - HON Rule - HAPs CAS Number 313 355 302 CWA CAA HAP Ingredients N N N N N N N N N Gum Arabic 9000-01-5 Ν Water 7732-18-5 Ν TSCA 12(b) Export Notification ***None required**** TOXICITY INFORMATION: IRC1 = IARC Group 1 Human Carcinogens List IRC2 = IARC Group 2 Human Carcinogens List (limited human data) IRC3 = IARC Group 2B Human Carcinogens List (sufficient animal data) NTP = NTP Known Carcinogens List OSHA = OSHA Known Carcinogens List CAS Number IRC1 IRC2 IRC3 NTP OSHA Ingredients 9000-01-5 N N N N N 7732-18-5 N N N N N Gum Arabic Water STATE REGULATIONS: FL = Florida Hazardous Substance List MA = Massachusetts Right-To-Know List MI = Michigan Critical Materials List MN = Minnesota Hazardous Substance List NJ = New Jersey Right-To-Know List PA = Pennsylvania Right-To-Know List Ingredients CAS Number PA NJ MN MI MA FL Gum Arabic 9000-01-5 N Y N N N N Water 7732-18-5 N N N N N N

The following designation is used only for those facilities that have air permits in nonattainment areas for ozone: Non-Photochemically Reactive

Non inocochemicarry Reaccive

SECTION 16 - OTHER INFORMATION

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.