

Gans Ink Co. Item ID: S-5808BX

Page 1/7

Safety Data Sheet (SDS)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/20/2014

Reviewed on 06/20/2014

- 1 Identification
- · Product identifier
- · Trade name: Oxy-Dry Anti-Offset Powder, Type Oxy-52C
- · CAS Number: 9005-25-8
- *EC number:* 232-679-6
- · Product description Carbohydrate
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Baldwin Americas Corporation
 14600 W. 106th Street
 Lenexa, KS 66215 USA
 1-800-654-4999 (U.S. Customers)
 1-933-888-9800 (All others)
 www.Baldwintech.com
 email: baldwintech.com

2 Hazard(s) identification

· Classification of the substance or mixture



May cause respiratory irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard statements
- May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

• NFPA ratings (scale 0 - 4)





OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Oxy-Dry Anti-Offset Powder, Type Oxy-52C

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Reactivity = 0

3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description 9005-25-8 Starch
- · Identification number(s)
- EC number: 232-679-6
- 4 First-aid measures
- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Give large amounts of water. If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Product can be considered a nuisance dust which can have an explosive reaction if in high concentrations.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.



OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/20/2014

Trade name: Oxy-Dry Anti-Offset Powder, Type Oxy-52C

(Contd. of page 2)

Reviewed on 06/20/2014

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

. Com	nononte	with	0000	national	exposure	limite
0011	ponents	WICH	0000	pationai	caposuic	mmus.

9005-25-8 Starch

- PEL Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
- REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
- TLV Long-term value: 10 mg/m³
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

If the exposure limit is exceeded, a particulate filter respirator (NIOSH type N95) may be worn.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:	Powder
Color:	White
· Odor:	Starch odor
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.

• *Flash point:* Not applicable.



OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/20/2014

Trade name: Oxy-Dry Anti-Offset Powder, Type Oxy-52C

(Contd. of page 3)

Reviewed on 06/20/2014

- Flammability (solid, gaseous): Product is not flammable.
- · Ignition temperature: 390 °C (734 °F)
- **Danger of explosion:** Product can be considered a nuisance dust which can have an explosive reaction if in high concentrations.
- · Density @ 20 °C (68 °F): 0.65 g/cm³ (5.424 lbs/gal)

 Solubility in / Miscibility with Water: Organic solvents: 	Soluble. 0.0 %
Solids content: • Other information	100.0 % Fire & Explosion Hazards: Minimum ignition temperature of dust cloud - approximately 390 C. Minimum energy to ignite cloud by electrical spark - approximately 0.10 joules.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

2 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.



OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/20/2014

Trade name: Oxy-Dry Anti-Offset Powder, Type Oxy-52C

(Contd. of page 4)

Reviewed on 06/20/2014

- Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

3 Disposal considerations

- Waste treatment methods
 Recommendation:
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
 UN proper shipping name DOT, ADR, ADN, IMDG, IATA 	Non-Regulated Material
• Transport hazard class(es)	,
· DOT, ADR, ADN, IMDG, IATA	
	Non-Regulated Material
· Packing group	
· DOT, ADR, IMDG, IATA · Environmental hazards:	Non-Regulated Material
• Environmental hazards: • Marine pollutant:	No
• Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
• UN "Model Regulation":	-
15 Regulatory information	

• Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara

· Section 355 (extremely hazardous substances):	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
· TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
	(Contri on nome C

Page 5/7

(Contd. on page 6)



OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/20/2014

Trade name: Oxy-Dry Anti-Offset Powder, Type Oxy-52C

(Contd. of page 5)

A4

- Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH)
- 9005-25-8 Starch
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Warning
- · Hazard statements
- May cause respiratory irritation.
- · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

- Call a POISON CENTER/doctor if you feel unwell.
- Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

Substance is not listed.

· State Right to Know

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 06/20/2014 / 6

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

Page 6/7



OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/20/2014

Trade name: Oxy-Dry Anti-Offset Powder, Type Oxy-52C

(Contd. of page 6)

Reviewed on 06/20/2014

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

* Data compared to the previous version altered.

SDS / MSDS Created by MSDS Authoring Services (www.MSDSAuthoring.com)

