

## **Safety Data Sheet**

In compliance with OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### **SECTION 1: IDENTIFICATION**

**SDS Number:** 510, version 10-6-17

#### (a) Product identifier

**Gans Item ID:** UV00-9500, UV00-9501, UV38-9500, UV38-9501, UV43-9500, UV49-9500, UV56-9500, UV56-9510, UV58-9500, UV58-9501, UV58-9501, UV58-9510, UV58-9511, UV62-9501, UV62-9511, UV76-9501, UV76-9501, UV76-9502, UV76-9503, UV99-9500

UV13968, UV13969, UV13970, UV13971, UV13972, UV13973, UV13974, UV13975, UV14064, UV14065, UV14066, UV14067, UV14068, UV14069, UV14538, UV15881, UV15881, UV15883, UV15884

UV11488, UV13770

5SAUB374913, 5SGUB047213, 5SKU7388613, 5SPUB047413, 5SRUB046713, 5SRUB046813, 5SVU7484613, 5SYUB046513, 5SYUB047913, 5SYUB088513, UV10868, UV11494, UV11617, UV11623, UV12408, UV13569, UV13575, UV13695, UV14057, UV14590, UV15086, UV15788,

UV11665, UV11666, UV11667, UV11724, UV11721, UV11722, UV11723, UV11725, UV11726, UV11727, UV11728, UV11729, UV11730, UV11985, UV12169, UV13369, UV13598, UV13700, UV14364, UV14801, UV15161, UV15197, UV15588, UV16057, UV15886, UV15678, UV12867, I011987, UV15727, UV15983, UV15295, UV11725, UV11490, UV15114, UV14935, UV15733, UV14624, UV14625, 5SYUB220213, I011987

Gans Description: UV Plastech; Plastech Mixing Colors; Plastech Process; UV HS2 PMS colors; Plastech Invisible Fluorescent, Plastech Invis Fluor, Uni-Plas, Uniplas, Vinylcure II Special, Other

## (b) Other means of identification

General description: Lithographic printing inks, UV-cure

## (c) Recommended use

**Product Use:** Industrial use only

**Restrictions on use:** Not for residential use.

# (d) Supplier's details

Manufacturer: Gans Ink and Supply Co, Inc.

Address: 1441 Boyd Street

Los Angeles, CA 90033

Contact Person: Marco Ramos
Telephone: 323- 264-2200 x139
Email: MSDS@gansink.com

## (e) Emergency telephone number:

Available only during business hours.

(323) 264-2200 Monday- Friday 7:00 A.M.- 9:00 P.M.



24 Hours Response: Los Angeles County Fire Department / HazMat. Department

## SECTION 2: HAZARD(S) IDENTIFICATION

## (a) Classification

- This mixture is hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).
- Physical hazards: Not Classified
- Health hazards:
- Acute toxicity oral Category 4
- o Skin Corrosion Category 1A
- o Eye Damage Category 1
- Skin Sensitization Category 1A
- o Reproductive Toxicity Category 1B
- Specific Target Organ Toxicity, Single Exposure, Respiratory Irritation Category 3
- o Aquatic Hazard, Chronic Category 2

## (b) Label elements

Signal Word: Danger

**Hazard Statements:** Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. Toxic to aquatic life with long-lasting effects.

## **Precautionary Statements:**

#### Prevention:

Do not eat, drink or smoke when using this product. Do not breathe mists. Wash all contact areas thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing fume/gas/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.

#### Response:

If exposed or concerned: Get medical advice/attention.

IF SWALLOWED: Call a poison center/doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage: Store locked up.

Disposal: Dispose of contents/container to disposal recycling center. Waste management should be in full compliance with federal, state and local laws.

# **Hazard Pictograms:**





## (c) Hazards not otherwise classified

None known

## (d) Ingredients of unknown acute toxicity

NA

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

TS = Trade Secret (as specified by substance manufacturer)

			Conc.
	CAS # (TS = trade	Conc. min.	max. (wt.
Substance	secret)	(wt. %)	<b>%</b> )
Hexamethylene diacrylate	13048-33-4	0.0%	38.7%
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	0.3%	33.0%
Bisphenol A Diacrylate	55818-57-0	0.0%	27.3%
Polyester Acrylate	TS	0.0%	12.5%
DiTrimethylolpropane Tetraacrylate	94108-97-1	0.0%	12.5%
Monomer	TS	0.0%	12.4%
Neopentylglycol propoxylated diacrylate	84170-74-1	0.0%	10.0%
Gans UVP-2005	TS	0.0%	10.0%
Vinylester resin	TS	0.0%	9.9%
Gans UVP-2002	TS	0.0%	7.0%
2-{2-[2-(acryloyloxy)-1-methylethoxy]-1-methylethoxy}-1-methylethyl acrylate .	42978-66-5	0.0%	7.0%
Polyester Acrylate	TS	0.0%	6.2%
Acrylated Resin	TS	1.0%	6.0%
2-Propenoic acid, reaction products with pentaerythritol	1245638-61-2	0.0%	4.3%
Gans UVP-2013	TS	1.5%	3.4%
Gans UVP-2004	TS	0.0%	3.0%
Blue Pigment	1324-76-1	0.0%	2.9%
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate	15625-89-5	0.0%	2.8%
2-Ethylhexanoic Acid	149-57-5	0.0%	0.9%

## **SECTION 4: FIRST AID MEASURES**

## (a) Description of first aid measures:

Inhalation: Remove person to fresh air and keep comfortable for breathing.

**Skin contact:** Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

**Eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.



Ingestion: Do NOT induce vomiting. Call a poison center/doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

## (b) Most important symptoms and effects, both acute and delayed:

**Ingestion:** Harmful if swallowed. Suspected of damaging fertility or the unborn child.

**Inhalation:** May cause respiratory irritation.

Skin contact: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Eye contact: Causes serious eye damage. Causes severe skin burns and eye damage.

#### (c) Indication of any immediate medical attention and special treatment needed:

Symptoms such as burning or pain to eyes or skin may indicate exposure and the need for first aid.

## **SECTION 5: FIRE – FIGHTING MEASURES**

## (a) Extinguishing Media:

Suitable extinguishing media: Use CO<sub>2</sub>, dry chemical, fire-fighting foam, or water fog extinguishing media

Unsuitable extinguishing media: Do not use water stream. Water stream or spray is OK to cool unopened containers only.

**(b) Special hazards arising from the substance or mixture:** Thermal decomposition or combustion products may include COx, and NOx. High pressure my build up in heated containers.

(c) Special protective equipment and precautions for fire-fighters: Wear NIOSH approved self-contained respiratory protective device, and fully protective fire-fighting suit.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## (a.i) Personal precautions:

Do not handle until all safety precautions have been read and understood.

No smoking or other sources of ignition near spillage.

Avoid direct contact with spilled material.

Wear all Personal Protection listed in Section 8 before directly contacting spilled material

Ensure there is adequate area ventilation, and avoid excessive inhalation of fumes.

## (a.ii) Protective equipment:

See Section 8

## (a.iii) Emergency procedures:

If dangerous conditions exist, contact emergency response personnel, follow emergency procedures, and contact emergency response authorities.

#### (b) Methods for containment and cleaning up:

If it is safe to do so, adjust leaking containers to reduce or eliminate the continued release. Wear all Personal Protection listed in Section 8 before directly contacting spilled material. For high viscosity materials, scoop or shovel material into appropriate container for reuse, recycling, or disposal. For low viscosity materials, first surround and then cover spilled material with inert absorbent (vermiculite, or similar). Then scoop or shovel material into appropriate container for reuse, recycling, or disposal.

Residual material can be cleaned with UV blanket wash, acetone, or other press solvent.

Consult your company's spill procedure for details of regulatory restrictions and recommendations.

Do not allow spilled materials, or clean up materials to enter storm drains or natural water ways.

#### **SECTION 7: HANDLING AND STORAGE**



## (a) Precautions for safe handling:

Do not eat, drink or smoke when using this product. Do not breathe mists. Wash all contact areas thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing fume/gas/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.

## (b) Conditions for safe storage:

Store locked up. Store in original container and keep containers covered and sealed. Store in cool, dry, well-ventilated place. Appropriate storage temperature is approximately  $7^{\circ}$  -  $35^{\circ}$  C ( $45^{\circ}$  -  $95^{\circ}$  F).

**Incompatibilities:** Avoid contact with heat, sources of ignition, sunlight, and strong oxidizers.

#### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

(a) Permissible exposure limits		OSHA PEL		Cal/OSHA	NIOSH	ACGIH
				PEL	REL	2015 TVL
Substance	CAS#	ppm	mg/m <sup>3</sup>	8-hour	Up to 10-	8-hour
				TWA (ST)	hour	TWA (ST)
				STEL (C)	TWA	STEL (C)
				Ceiling	(ST)	Ceiling
					STEL (C)	
					Ceiling	
No data available						

## (b) Appropriate engineering controls:

**Ventilation requirements:** Adequate ventilation in accordance with good engineering practice must be provided. **General protective measures:** Ensure that eye flushing /eye wash stations, and hand washing areas are accessible.

## (c) Personal protective equipment:

**Inhalation:** Avoid breathing mist/ vapors/spray. Where mist or aerosol is present, an organic vapor respirator is recommended.

**Skin Contact:** Wear protective gloves/protective clothing. Contaminated work clothing must not be allowed out of the workplace. Neoprene or nitrile gloves are recommended. PVC gloves are not compatible. Always wear long sleeves and where exposure potential is high, a neoprene or other chemical resistant apron is recommended.

**Eye Contact**: Wear eye protection/face protection. Eye and face protective devices must comply with ANSI Z87.1-1989. Recommended eye protection: goggles, flexible fitting, hooded ventilation. A transparent face shield is recommended.

**Ingestion:** Avoid eating, drinking, or smoking in work area and wash hands after handling this product.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

(a) Appearance (physical state, color): Viscous paste or liquid, various colors

(b) Odor: Ester-like

(c) Odor threshold: Data not available

(d) pH: Data not available

(e) Melting point/ freezing point; Data not available(f) Initial Boiling point / Range: Data not available

(g) Flashpoint:  $> 212 \, ^{\circ}\text{F} (> 100 \, ^{\circ}\text{C})$ 



(h) Evaporation Rate: Data not available

(i) Flammability (solid/gas): Not classified as flammable/ Not classified as flammable

(j) Upper/lower flammability explosion limits: Data not available

(k) Vapor Pressure (mm Hg @ 68°F): Data not available

(l) **Vapor Density** (Air = 1): Data not available

(m) Relative Density ( $H_2O = 1$ ): Data not available

(n) Solubility: insoluble in water

(o) Partition coefficient n- Octanol/ Water: Data not available

(p) Auto-ignition temperature: Data not available(q) Decomposition temperature: Data not available

(r) Viscosity: Data not available

# **Other properties**

**VOC** % (wt):  $\leq 1.0$  **VOC** (lbs./gal):  $\leq 0.08$ 

## SECTION 10: STABILITY AND REACTIVITY INFORMATION

- (a) **Reactivity:** Not reactive under normal storage conditions. See Section 7. Mixture will undergo polymerization reaction in the presence of sunlight, bright industrial lights, or high temperatures.
- **(b) Chemical stability:** Mixture is chemically stable under normal storage and handling conditions, and under normal temperatures and pressures.
- (c) Possibility of hazardous reactions: Exposure to excess heat may cause exothermic polymerization reaction.
- (d) Conditions to avoid: Avoid contact with heat (temperature > 100° F, 38° C), sources of ignition, sunlight, and strong oxidizers.
- (e) Incompatible materials: Radical forming initiators, peroxides or other strong oxidizers, strong alkalies or reactive metals.
- (f) Hazardous decomposition product: No data available.

## SECTION 11: TOXICOLOGICAL INFORMATION

(a) Likely routes of exposure: Skin contact, eye contact, inhalation, ingestion.

## (b) Symptoms related to physical, chemical, and toxicological characteristics:

**Skin contact:** There may be irritation and redness at site of contact.

**Eye contact:** There may be irritation and redness. Eyes may water profusely.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Ingestion:** There may be irritation and redness of the mouth and throat, and a feeling of illness.

## (c) Delayed and immediate effects, and chronic effects from long-term exposure

No data available

## (d) Numerical measures of toxicity, acute:

	CAS # (TS=				
Substance	trade secret)	Oral	Inhalation	Dermal	
Hexamethylene	13048-33-4	LD50 5000 mg/kg bw	LC0 (7 h) 410 mg/m <sup>3</sup>	LD50 3 650 mg/kg bw	
diacrylate		(rat)	air (rat)	(rabbit)	
Glycerol, propoxylated,	52408-84-1	LD50 2000 mg/kg bw	Data not available	LD50 2000 mg/kg bw	
esters with acrylic acid		(rat)	Data not avanable	(rabbit)	
Bisphenol A Diacrylate	55818-57-0	LD50 2000 mg/kg bw	Data not available	LD50 2000 mg/kg bw	
		(rat)	Data not avanable	(rat)	
Polyester Acrylate	TS	Data not available	Data not available	Data not available	
DiTrimethylolpropane	94108-97-1	I D50 5000 mg/kg hvv	LC50 (7 h) 410 mg/m <sup>3</sup>	LD50 4.7 mL/kg bw	
Tetraacrylate		LD50 5000 mg/kg bw	air (rat); LC50 (6 h)		
		(rat)	550 mg/m³ air (rat);	(rabbit)	



			LC0 (7 h) 410 mg/m <sup>3</sup> air (rat)	
Monomer	TS	Data not available	Data not available	Data not available
Neopentylglycol	84170-74-1	LD50 5000 mg/kg bw	LC50 (4 h) 2 mg/L air	LD50 2000 mg/kg bw
propoxylated diacrylate		(rat)	(rat)	(rat)

Substance	CAS # (TS= trade secret)	Oral	Inhalation	Dermal
Gans UVP-2005	TS	LD50 1694 mg/kg bw (rat)	Data not available	LD50 6929 mg/kg bw (rat)
Vinylester resin	TS	Data not available	Data not available	Data not available
Gans UVP-2002	TS	LD50 1340 - 2756 mg/kg bw (rat)	Data not available	LD50 2000 mg/kg bw (rat)
2-{2-[2-(acryloyloxy)- 1-methylethoxy]-1- methylethoxy}-1- methylethyl acrylate.	42978-66-5	LD50 2000 - 5000 mg/kg bw (rat	LC0 (7 h) 545 - 410 000 µg/m³ air (rat)	LD50 2 000 - 3 650 mg/kg bw (rabbit)
Polyester Acrylate	TS	Data not available	Data not available	Data not available
2-Propenoic acid, reaction products with pentaerythritol	1245638-61- 2	LD50 420 - 620 mg/kg bw (rat)	Data not available	Discriminating dose 2 000 mg/kg bw (rabbit
Gans UVP-2013	TS	LD50 1470 mg/kg bw (rat)	Data not available	Data not available
Gans UVP-2004	TS	Data not available	Data not available	Data not available
Blue Pigment	1324-76-1	LD50 5000 mg/kg bw (rat)	Data not available	LD50 2000 mg/kg bw (rabbit)
2-ethyl-2-[[(1- oxoallyl)oxy]methyl]- 1,3-propanediyl diacrylate	15625-89-5	LD50 5000 mg/kg bw (rat)	LC50 (6 h) 550 mg/m <sup>3</sup> air (rat)	LD50 4.7 mL/kg bw (rabbit)
2-Ethylhexanoic Acid	149-57-5	LD50 2043 mg/kg bw (rat)	LC0 (8 h) 110 mg/m <sup>3</sup> air (rat)	LD50 2000 mg/kg bw (rat)

## (e) Carcinogens information:

**IARC,** Group 1 (Carcinogenic to humans), Group 2A (Probably carcinogenic to humans), or Group 2B (Possibly carcinogenic to humans): This mixture does not contain listed materials.

NTP, 13th Report on Carcinogens: This mixture does not contain listed materials

**OSHA:** This mixture does not contain listed materials

# **SECTION 12: ECOLOGICAL INFORMATION**

# (a) Ecotoxicity

Classification of mixture: Aquatic Hazard, Chronic – Category 2

(b) Persistence and degradability: No data available (c) Bioaccumulative potential: No data available.

(d) Mobility in soil: No data available

(e) Other adverse effects: No known adverse effects

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of contents/container in accordance with local/regional/national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

## **SECTION 14: TRANSPORT INFORMATION**



**US DOT (Ground):** 

(a) UN number: UN3082

(b) UN Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.

(c) Transport hazard class: 9
(d) Packing Group: PG III

(e) Environmental hazards: Marine Pollutant

(f) Transport in bulk

MARPOL 73/78: No data available

**IBC:** No data available. **(g) Special Precautions:** None known

## **SECTION 15: REGULATORY INFORMATION**

## **U.S. Federal Regulations**

TSCA Section 8(b) Inventory Status: All ingredients of this mixture are listed on the TSCA Inventory

EPCRA, Section 302 – Extremely hazardous substances: This mixture does not contain listed materials.

**CERCLA Hazardous Substances:** This mixture does not contain listed materials. **EPCRA Section 313 Toxic Chemicals:** This mixture does not contain listed materials.

CAA 112(r) Regulated Chemicals for Accidental Release Prevention: This mixture does not contain listed materials.

**Hazardous Air Pollutants (HAP):** 

## **U.S. State Regulations**

Pennsylvania Right to Know: No data available New Jersey Right to Know: No data available

California Proposition 65: This mixture does not contain listed materials.

Canadian Environmental Protection Act: WHMIS Classification: No data available

European Chemical Agency (ECHA): No data available

#### **SECTION 16: OTHER INFORMATION**

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Gans Ink and Supply Co., Inc. assumes no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein. Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.

