

Safety Data Sheet

In compliance with OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 1: IDENTIFICATION

SDS Number: S-1630NW, version 3/9/2018

(a) Product identifier

Gans Item ID: S-1630NW, S-1630NWD, S-1630NWG, S-1630NWP, S-1630NWQ

Gans Description: Gans Low Odor Wash Northwest, Gans L O W Northwest

(b) Other means of identification

General description: Lithographic press cleaning solvent

(c) Recommended use

Product Use: Industrial use only

Restrictions on use: Not for residential use.

(d) Supplier's details

Manufacturer: Gans Ink and Supply Co, Inc.

Address: 1441 Boyd Street

Los Angeles, CA 90033

Contact Person: Marco Ramos
Telephone: 323- 264-2200 x139
Email: MSDS@gansink.com

(e) Emergency telephone number:

Available only during business hours.

(323) 264-2200 Monday- Friday 7:00 A.M.- 9:00 P.M.

24 Hours Response: Los Angeles County Fire Department / HazMat. Department

SECTION 2: HAZARD(S) IDENTIFICATION

(a) Classification

- This mixture is hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).
- Physical hazards:
 - o Flammable Liquid -- Category 3
- Health hazards:
 - o Germ Cell Mutagenicity Category 1B
 - o Carcinogenicity Category 1B
 - o Specific Target Organ Toxicity, Repeat Exposure, Central Nervous System Category 1
 - o Aspiration Hazard Category 1



(b) Label elements

Signal Word: Danger

Hazard Statements: May cause genetic defects; May cause cancer; Causes damage to organs (central nervous system) through prolonged or repeated exposure; May be fatal if swallowed and enters airways; Flammable liquid and vapor.

Precautionary Statements:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe fume/mist/vapors/spray. Wash contaminated areas thoroughly after handling. Do not eat, drink or smoke when using this product.

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Response: If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.

IF SWALLOWED: Immediately call a poison center/doctor. Do NOT induce vomiting.

IF INHALED: Get medical advice/attention if you feel unwell.

IF ON SKIN OR HAIR: Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes.

In case of fire: Use CO₂, dry chemical, fire-fighting foam, or water fog extinguishing media

Storage: Store locked up. Store in a well-ventilated place. Keep cool.

<u>Disposal:</u> Dispose of contents/container to disposal recycling center. Waste management should be in full compliance with federal, state and local laws.

Hazard Pictograms:



(c) Hazards not otherwise classified

None known

(d) Ingredients of unknown acute toxicity

None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

TS = Trade Secret (as specified by substance manufacturer)



| Substance | CAS # (TS = trade secret) | Conc. min. (wt. %) | Conc. max. (wt. %) |
|---|---------------------------|--------------------|--------------------|
| Solvent naphtha (petroleum), medium aliphatic | 64742-88-7 | 70.0 | 80.0 |
| Solvent naphtha (petroleum), light aromatic | 64742-95-6 | 20.0 | 30.0 |

SECTION 4: FIRST AID MEASURES

(a) Description of first aid measures:

If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.

Ingestion: Immediately call a poison center/doctor. Do NOT induce vomiting. Rinse mouth.

Inhalation: Get medical advice/attention if you feel unwell.

Skin contact (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Eye contact: Rinse cautiously with water for several minutes.

(b) Most important symptoms and effects, both acute and delayed:

Ingestion: May be fatal if swallowed and enters airways. May cause genetic defects. May cause cancer.

Inhalation: May be fatal if swallowed and enters airways. Causes damage to organs (central nervous system) through prolonged or repeated exposure.

(c) Indication of any immediate medical attention and special treatment needed:

If material enters lungs, signs and symptoms may include coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness of breath, and/or fever. Defatting dermatitis signs and symptoms may include a burning sensation and/or a dried/cracked appearance. Skin irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blisters.

SECTION 5: FIRE – FIGHTING MEASURES

(a) Extinguishing Media:

Suitable extinguishing media: Use CO₂, dry chemical, fire-fighting foam, or water fog extinguishing media

Unsuitable extinguishing media: Do not use water stream. Water stream or spray is OK to cool unopened containers only.

(b) Special hazards arising from the substance or mixture:

Flammable vapors may be present even at temperatures below the flash point. The vapor is heavier than air, spreads along the ground and distant ignition is possible. Will float and can be reignited on surface water.

(c) Special protective equipment and precautions for fire-fighters: Wear NIOSH approved self-contained respiratory protective device, and fully protective fire-fighting suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

(a.i) Personal precautions:

Ensure adequate ventilation. Use personal protective equipment. Avoid breathing vapor. Avoid contact with skin, eye or clothing. Use explosion proof equipment. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

(a.ii) Protective equipment: Positive pressure, full-face, self-contained breathing apparatus (SCBA), or positive pressure supplied air respirator with escape SCBA (NIOSH approved).



(a.iii) Emergency procedures: If dangerous conditions exist, contact emergency response personnel, follow emergency procedures, and contact emergency response authorities.

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Release can cause fire/explosion. Liquids/vapors may ignite. Do not touch or walk through spilled material. Isolate hazard area and keep unnecessary people away. Remove all possible sources of ignition in the surrounding area. Notify authorities if any exposure to the general public or the environment occurs or is likely to occur. If spilled material is cleaned up using a regulated solvent, the resulting waste mixture may be regulated

(b) Methods for containment and cleaning up:

Dike and contain spill. For large spills remove by mechanical means and place in containers. Absorb residue or small spills with absorbent material and remove to non-leaking containers for disposal.

SECTION 7: HANDLING AND STORAGE

(a) Precautions for safe handling:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe fume/mist/vapors/spray. Wash contaminated areas thoroughly after handling. Do not eat, drink or smoke when using this product.

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/ lighting/.../equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection.

(b) Conditions for safe storage: Store locked up. Store in a well-ventilated place. Keep cool.

Suitable storage materials: Carbon steel (low to high carbon), stainless steel. For container paints, use epoxy paint, zinc silicate paint.

Unsuitable storage material: Avoid prolonged contact with natural, butyl or nitrile rubbers; polyethylene (PE), polypropylene (PP), polystyrene (PS), polyvinylchloride (PVC),

Incompatibilities: Keep away from strong oxidizing agents.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

| (a) Permissible exposure limits | | OSHA PEL | | Cal/OSHA | NIOSH | ACGIH | |
|---------------------------------|---|------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | | | PEL | REL | 2015 TVL | |
| | Substance | CAS# | ppm | mg/m ³ | 8-hour | Up to 10- | 8-hour |
| | | | | | TWA (ST) | hour | TWA (ST) |
| | | | | | STEL (C) | TWA | STEL (C) |
| | | | | | Ceiling | (ST) | Ceiling |
| | | | | | | STEL (C) | |
| | | | | | | Ceiling | |
| | Solvent naphtha (petroleum), medium aliphatic | 64742-88-7 | No data available |
| | Solvent naphtha (petroleum), light aromatic | 64742-95-6 | No data available | No data available | No data available | No data available | No data available |



(b) Appropriate engineering controls:

Ventilation requirements: Handle only in a place equipped with local exhaust (or other appropriate exhaust). Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

General protective measures: Ensure that eye flushing /eye wash stations, and hand washing areas are accessible.

(c) Personal protective equipment:

Inhalation: Do not breathe fume/mist/vapors/spray. Where mist or aerosol is present, an organic vapor full facepiece respirator is recommended (to protect eyes and face as well).

Skin Contact: Wear protective gloves, and protective clothing. Ansell Chemical Resistance Guide, 7th Edition recommends the following glove materials for similar aliphatic and aromatic solvents: Laminate film, Barrier; Supported Polyvinyl Alcohol, PVA.

Eye Contact: Wear eye protection, and face protection. Eye and face protective devices must comply with ANSI Z87.1-1989. Recommended eye protection: full face shield.

Ingestion: Do not eat, drink, or smoke in work area and wash hands after handling this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

(a) Appearance (physical state, color): Liquid; clear, colorless to slightly yellow

(b) Odor: Organic solvent

(c) Odor threshold: Data not available

(d) pH: NA

(e) Melting point/ freezing point; Data not available (f) Initial Boiling point / Range: 322 °F (161 °C)

(g) Flashpoint: $>115 \,^{\circ}\text{F} (>46 \,^{\circ}\text{C})$

(h) Evaporation Rate: Data not available

(i) Flammability (solid/gas): Data not available

(j) Upper/lower flammability explosion limits: Data not available

(k) Vapor Pressure (mm Hg @ 68°F): Data not available

(l) **Vapor Density** (Air = 1): Data not available

(m) Relative Density ($H_2O = 1$): ~ .83 calculated

(n) Solubility: insoluble in water

(o) Partition coefficient n- Octanol/ Water: Data not available

(p) Auto-ignition temperature: > 455 °F (235 °C)
 (q) Decomposition temperature: Data not available

(r) Viscosity: Data not available

Other properties

VOC % (wt.): ~ 100 VOC (lbs./gal): 6.92

SECTION 10: STABILITY AND REACTIVITY INFORMATION

(a) **Reactivity:** Not reactive under normal storage conditions. See Section 7.

- **(b) Chemical stability:** Mixture is chemically stable under normal storage and handling conditions, and under normal temperatures and pressures.
- (c) Possibility of hazardous reactions: May react to strong oxidizers, and strong acids.
- (d) Conditions to avoid: Keep away from open flames, sparks, hot surfaces and sources of ignition.
- (e) Incompatible materials: Strong oxidizers, strong acids.
- (f) Hazardous decomposition product: Thermal decomposition may yield carbon dioxide and/or carbon monoxide.



SECTION 11: TOXICOLOGICAL INFORMATION

(a) Likely routes of exposure: Skin contact, eye contact, inhalation, and ingestion.

(b) Symptoms related to physical, chemical, and toxicological characteristics:

Skin contact: No data available. **Eye contact:** No data available.

Inhalation: May be fatal if swallowed and enters airways. Causes damage to organs (central nervous system) through prolonged or

repeated exposure.

Ingestion: May be fatal if swallowed and enters airways. May cause genetic defects. May cause cancer.

(c) Delayed and immediate effects, and chronic effects from long-term exposure

May cause genetic defects. May cause cancer. Causes damage to organs (central nervous system) through prolonged or repeated exposure.

(d) Numerical measures of toxicity, acute:

| | CAS # (TS= | | | |
|---|---------------|--------------------------|-----------------------------------|--------------------------------|
| Substance | trade secret) | Oral | Inhalation | Dermal |
| Solvent naphtha (petroleum), medium aliphatic | 64742-88-7 | LD50 5000 mg/kg bw (rat) | LC50 (4 h) 5.28 mg/L air (rat) | LD50 2000 mg/kg bw (rabbit) |
| Solvent naphtha (petroleum), light aromatic | 64742-95-6 | LD50 5000 mg/kg bw (rat) | No data available | LD50 2000 mg/kg bw (rabbit) |

(e) Carcinogens information:

IARC: Group 1 (Carcinogenic to humans), Group 2A (Probably carcinogenic to humans), or Group 2B (Possibly carcinogenic to humans) by IARC: This mixture does not contain listed materials.

NTP: 13th Report on Carcinogens: This mixture does not contain listed materials.

OSHA: No data available

SECTION 12: ECOLOGICAL INFORMATION

(a) Ecotoxicity

Classification of mixture: Not Classified as Hazardous (b) Persistence and degradability: No data available (c) Bioaccumulative potential: No data available.

(d) Mobility in soil: No data available

(e) Other adverse effects: No known adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: TRANSPORT INFORMATION

US DOT (Ground): Flashpoint >115 °F (>46 °C)

(a) UN number: UN1268

(b) UN Proper Shipping Name: Petroleum Distillates, N.O.S. (Solvent Naphtha Medium Aliphatic, Solvent Naphtha Light

Aromatic,) 3

(c) Transport hazard class: Petroleum Distillates, N.O.S. (Solvent Naphtha Medium Aliphatic, Solvent Naphtha Light

Aromatic,) 3



(d) Packing Group: PG III

(e) Environmental hazards: Not classified as marine pollutant.

(f) Transport in bulk

MARPOL 73/78: No data available

IBC: No data available. **(g) Special Precautions:** None known

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations

TSCA Section 8(b) Inventory Status: All ingredients of this mixture are listed on the TSCA Inventory

EPCRA, **Section 302 – Extremely hazardous substances:** This mixture does not contain listed materials.

CERCLA Hazardous Substances: This mixture does not contain listed materials.

EPCRA Section 313 Toxic Chemicals: This mixture does not contain listed materials.

CAA 112(r) Regulated Chemicals for Accidental Release Prevention: This mixture does not contain listed materials.

Hazardous Air Pollutants (HAP): This mixture does not contain listed materials.

U.S. State Regulations

Pennsylvania Right to Know

No data available

New Jersey Right to Know

No data available

California Proposition 65: This mixture does not contain listed materials.

Oregon DEQ List of Air Toxic Contaminants: This mixture does not contain listed materials

Canadian Environmental Protection Act:

WHMIS Classification: No data available

European Chemical Agency (ECHA): No data available

SECTION 16: OTHER INFORMATION

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Gans Ink and Supply Co., Inc. assumes no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein. Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.

