

## **Safety Data Sheet**

In compliance with OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### **SECTION 1: IDENTIFICATION**

**SDS Number:** 619, version 4/19/2018

# (a) Product identifier

Gans Item ID: Letterpress Pantone Reference Color: Where # is any whole number from 0 to 9

P###L P####L PCG##L PWG##L

1012081, 1012082, 1012083, 1012084, 1012085, 1012086, 1012087, 1012088, 1012089, 1012090, 1012091, 1012092, 1012093, 1012094, 1012095, 1012096, 1012097, 1012098, 1012099, 1012100, 1012101, 1012102, 1012103, 1012104, 1012105, 1012106, 1012107, 1012108, 1012109, 1012110, 1012111, 1012112, 1012113, 1012114, 1012115, 1012116, 1012117, 1012118, 1012119, 1012120, 1012121, 1012122, 1012123, 1012124, 1012124, 1012126, 1012129, 1012130, 1012131, 1012132, 1012138, 1012139, 10121340

## **Gans Description:**

Letterpress

#### (b) Other means of identification

General description: Lithographic/offset printing inks

### (c) Recommended use

Product Use: Industrial use only

Restrictions on use: Not for residential use.

#### (d) Supplier's details

Manufacturer: Gans Ink and Supply Co, Inc.

Address: 1441 Boyd Street

Los Angeles, CA 90033

Contact Person: Marco Ramos
Telephone: 323- 264-2200 x139
Email: MSDS@gansink.com

### (e) Emergency telephone number:

Available only during business hours

(323) 264-2200; Monday- Friday 7:00 A.M. – 9:00 P.M.

24 Hours Response: Los Angeles County Fire Department / HazMat. Department

## **SECTION 2: HAZARD(S) IDENTIFICATION**

(a) Classification: Classified as Hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).



Physical hazards: NA

## **Health hazards:**

Eye Damage/Irritation – Category 2B

- Sensitization, Skin Category 1
- o Germ Cell Mutagenicity Category 1B
- o Carcinogenicity Category 1B
- o Toxic to Reproduction Category 2

# (b) Label elements

Signal Word: Danger

**Hazard Statements:** Causes eye irritation; May cause an allergic skin reaction; May cause genetic defects; May cause cancer; Suspected of damaging fertility or the unborn child

**Precautionary Statements:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing fume/mist/ vapors/spray. Wash contaminated areas thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

#### Response:

If exposed or concerned: Get medical advice/attention.

IF ON SKIN OR HAIR: Wash with plenty of water and mild soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: Store locked up.

<u>Disposal:</u> Dispose of contents/container to disposal recycling center. Waste management should be in full compliance with federal, state and local laws.

## **Hazard Pictograms:**



(c) Hazards not otherwise classified: None known

(d) Ingredients of unknown acute toxicity: NA

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

|  |                           | Conc. min. | Conc. max. |
|--|---------------------------|------------|------------|
| Substance                                    | CAS # (TS = trade secret) | (wt. %)    | (wt. %)    |
| Proprietary resin                            | TS                        | 0.0%       | 9.3%       |
| Proprietary fatty acid ester                 | TS                        | 0.0%       | 2.8%       |
| Fatty acids, tall-oil, cobalt salts          | 61789-52-4                | 0.0%       | 1.4%       |
| Distillates (petroleum), sweetened middle    | 64741-86-2                | 0.0%       | 0.6%       |
| Distillates (petroleum), hydrotreated middle | 64742-46-7                | 0.0%       | 0.5%       |
| Residual oils (petroleum), solvent-dewaxed   | 64742-62-7                | 0.0%       | 0.3%       |
| Naphtha (petroleum), hydrotreated heavy      | 64742-48-9                | 0.0%       | 0.3%       |



|                            |                           | Conc. min. | Conc. max. |
|----------------------------|---------------------------|------------|------------|
| Substance                  | CAS # (TS = trade secret) | (wt. %)    | (wt. %)    |
| 2-tert-butylhydroquinone   | 1948-33-0                 | 0.0%       | 0.2%       |
| 2-(2-methoxyethoxy)ethanol | 111-77-3                  | 0.0%       | 0.1%       |

#### **SECTION 4: FIRST AID MEASURES**

#### (a) Description of first aid measures:

If exposed or concerned: Get medical advice/attention.

Inhalation: Data not available

Skin contact: Wash with plenty of water and mild soap. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion:** Data not available

## (b) Most important symptoms and effects, both acute and delayed:

Ingestion: May cause genetic defects; May cause cancer; Suspected of damaging fertility or the unborn child

**Inhalation:** Data not available.

Skin contact: May cause an allergic skin reaction

Eye contact: Causes eye irritation

(c) Indication of any immediate medical attention and special treatment needed: Data not available.

#### **SECTION 5: FIRE - FIGHTING MEASURES**

## (a) Extinguishing Media:

Suitable extinguishing media: Use CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant

foam

Unsuitable extinguishing media: Water with full jet.

(b) Special hazards arising from the substance or mixture: None known

(c) Special protective equipment and precautions for fire-fighters: Wear NIOSH approved self-contained respiratory protective device, and fully protective fire-fighting suit.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

(a.i) Personal precautions: Ensure adequate ventilation for general industrial environment.

(a.ii) Protective equipment: See Section 8 for details. Use personal protective equipment that is appropriate for the general industrial environment.

(a.iii) Emergency procedures: Follow emergency procedures that are appropriate for the general industrial environment.

(b) Methods for containment and cleaning up: Dike and contain spill. Soak up with inert absorbent material.

# **SECTION 7: HANDLING AND STORAGE**

(a) Precautions for safe handling: Do not ingest. Wash hands after handling. Take off contaminated clothing and wash it before reuse.

**(b)** Conditions for safe storage: Keep cool. Do not freeze. Ideal storage temperature is 50-90 °F (10-32 °C).



**Incompatibilities:** Keep away from oxidizing agents. Keep away from high heat, and freezing.

#### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

| (a) Permissible exposure limits  |      | OSHA PEL           |                    | Cal/OSHA                                  | NIOSH   | ACGIH                                     |
|--|------|--------------------|--------------------|---|---|---|
|  |      |                    |                    | PEL                                       | REL   | 2015 TVL                                  |
| Substance  | CAS# | ppm                | mg/m <sup>3</sup>  | 8-hour<br>TWA (ST)<br>STEL (C)<br>Ceiling | Up to 10-<br>hour<br>TWA<br>(ST)<br>STEL (C)<br>Ceiling | 8-hour<br>TWA (ST)<br>STEL (C)<br>Ceiling |
| No hazardous hazardous ingredients in this mixture appear on OSHA Annotated Tables Z-1, Z-2, or Z-3. |      | Data not available | Data not available | Data not available                        | Data not available                                      | Data not available                        |

### (b) Appropriate engineering controls:

Ventilation requirements: Ensure adequate ventilation for general industrial environment.

General protective measures: Ensure that eye flushing /eye wash stations, and hand washing areas are accessible.

### (c) Personal protective equipment:

**Inhalation:** Avoid breathing fume/mist/vapors/spray. Where fume/mist/vapors/spray is present, an organic vapor respirator is recommended

**Skin Contact:** Wear protective gloves/protective clothing. Nitrile rubber gloves are compatible with ink chemistry.

Eye Contact: Wear eye protection/face protection. Eye and face protective devices must comply with ANSI Z87.1-1989.

Recommended eye protection: full face shield.

Ingestion: Avoid eating, drinking, or smoking in work area and wash hands after handling this product.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

(a) Appearance (physical state, color): Paste, various colors

(b) Odor: Oleoresinous

(c) Odor threshold: Data not available

(d) pH: Not applicable

(e) Melting point/ freezing point: Data not available(f) Initial Boiling point / Range: Data not available

(g) Flashpoint:  $> 200 \, ^{\circ}\text{F} (> 93 \, ^{\circ}\text{C})$ 

(h) Evaporation Rate: Data not available(i) Flammability (solid/ gas): Data not available

(j) Upper/lower flammability explosion limits: Data not available

(k) Vapor Pressure: Data not available

(l) **Vapor Density** (Air = 1): Data not available

(m) Relative Density ( $H_2O = 1$ ): .95 - 1.05 (68 °F (20 °C))

(n) Solubility: Minimally soluble in water

(o) Partition coefficient n-Octanol/ Water: Data not available

(p) Auto-ignition temperature: Data not available(q) Decomposition temperature: Data not available

(r) Viscosity: Data not available



#### Other properties

**VOC** % (wt.): 2 – 15, 8.3 average

VOC: .69 lbs./gal average; 83 g/L average

# SECTION 10: STABILITY AND REACTIVITY INFORMATION

(a) Reactivity: Not reactive under normal storage conditions. See Section 7.

**(b) Chemical stability:** Mixture is chemically stable under normal storage and handling conditions, and under normal temperatures and pressures.

(c) Possibility of hazardous reactions: No data available(d) Conditions to avoid: Keep away from high heat, freezing.

(e) Incompatible materials: Strong oxidizers.

(f) Hazardous decomposition product: Carbon and nitrogen oxides are the main combustion gases.

#### SECTION 11: TOXICOLOGICAL INFORMATION

(a) Likely routes of exposure: Skin contact, eye contact, inhalation, ingestion.

### (b) Symptoms related to physical, chemical, and toxicological characteristics:

**Skin contact:** May cause an allergic skin reaction;

**Eye contact:** Causes eye irritation; **Inhalation:** Data not available.

Ingestion: May cause genetic defects; May cause cancer; Suspected of damaging fertility or the unborn child

# (c) Delayed and immediate effects, and chronic effects from long-term exposure

May cause genetic defects; May cause cancer; Suspected of damaging fertility or the unborn child

## (d) Numerical measures of toxicity, acute:

| Substance                                       | CAS # (TS=<br>trade secret) | Oral                                 | Inhalation                               | Dermal                                |
|---|-----------------------------|--------------------------------------|--|---------------------------------------|
| Proprietary resin                               | TS                          | Data not available                   | Data not available                       | Data not available                    |
| Proprietary fatty acid ester                    | TS                          | Data not available                   | Data not available                       | Data not available                    |
| Fatty acids, tall-oil, cobalt salts             | 61789-52-4                  | Data not available                   | Data not available                       | Data not available                    |
| Distillates (petroleum), sweetened middle       | 64741-86-2                  | LD50 5000 mg/kg<br>bw (rat)          | LC50 (4 h) 1.72 - 4.6<br>mg/L air (rat)  | Data not available                    |
| Distillates (petroleum),<br>hydrotreated middle | 64742-46-7                  | LD50 5000 mg/kg<br>bw (rat)          | LC50 (4 h) 1.72 - 4.6<br>mg/L air (rat)  | LD50 2000 mg/kg bw (rabbit)           |
| Residual oils (petroleum), solvent-dewaxed      | 64742-62-7                  | LD50 5000 mg/kg<br>bw (rat)          | LC50 (4 h) 2.18 - 5.53<br>mg/L air (rat) | LD50 2000 - 5000<br>mg/kg bw (rabbit) |
| Naphtha (petroleum),<br>hydrotreated heavy      | 64742-48-9                  | LD50 5000 mg/kg<br>bw (rat)          | Data not available                       | LD50 2000 mg/kg bw (rabbit)           |
| Tert-Butylhydroquinone                          | 1948-33-0                   | LD50 951 - 1131<br>mg/kg bw (rat)    | LCLo (4 h) 2.9 mg/L air (rat)            | LD50 1000 mg/kg bw (guinea pig)       |
| 2-(2-methoxyethoxy)ethanol                      | 111-77-3                    | LD50 7128 - 8188<br>mg/kg bw (mouse) | LC0 (6 h) 1.2 mg/L air (rat)             | LD50 9404 mg/kg bw (rabbit)           |

## (e) Carcinogens information:

**IARC,** Group 1 (Carcinogenic to humans), Group 2A (Probably carcinogenic to humans), or Group 2B (Possibly carcinogenic to humans) by IARC:

This mixture does not contain listed materials.



NTP, 13<sup>th</sup> Report on Carcinogens: This mixture does not contain listed materials.

OSHA: This mixture does not contain listed materials.

#### **SECTION 12: ECOLOGICAL INFORMATION**

(a) Ecotoxicity:

Classification of mixture: Not classified as Hazardous (b) Persistence and degradability: No data available (c) Bioaccumulative potential: No data available.

(d) Mobility in soil: No data available

(e) Other adverse effects: No known adverse effects

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of contents/container in accordance with local/regional/national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

• Barium Compounds, EPCRA Section 313 Category Code N040: Pantone Warm Red contains a maximum concentration of 21% (wt.) Pigment Red 53:1, CAS 5160-02-1. Pantone colors that include Warm Red contain a lower concentration. Consult with your waste removal provider to determine if there are special handling requirements.

#### **SECTION 14: TRANSPORT INFORMATION**

US DOT (Ground): Not regulated as a dangerous good

(a) UN number: Not regulated as a dangerous good
 (b) UN Proper Shipping Name: Not regulated as a dangerous good
 (c) Transport hazard class: Not regulated as a dangerous good
 (d) Packing Group: Not regulated as a dangerous good
 (e) Environmental hazards: Not regulated as a dangerous good

(f) Transport in bulk

MARPOL 73/78: Not regulated as a dangerous good

**IBC:** Not regulated as a dangerous good.

(g) Special Precautions: None known

#### **SECTION 15: REGULATORY INFORMATION**

## **U.S. Federal Regulations**

TSCA Section 8(b) Inventory Status: All ingredients of this mixture are listed on the TSCA Inventory EPCRA, Section 302 – Extremely hazardous substances: This mixture does not contain listed materials.

**CERCLA Hazardous Substances:** This mixture does not contain listed materials.

**EPCRA Section 313 Toxic Chemicals:** 

• Barium Compounds N040: Pantone Warm Red contains a maximum concentration of 21% (wt.) Pigment Red 53:1, CAS 5160-02-1. Pantone colors that include Warm Red contain a lower concentration.

CAA 112(r) Regulated Chemicals for Accidental Release Prevention: This mixture does not contain listed materials.

Hazardous Air Pollutants (HAP): This mixture does not contain listed materials

## **U.S. State Regulations**

Pennsylvania Right to Know: This mixture does not contain listed materials.

New Jersey Right to Know: Data not available

California Proposition 65: WARNING: This product contains a chemical known to the State of California to cause cancer



• Pigment Red 53:1, CAS 5160-02-1; Pantone Warm Red contains a maximum concentration of 21% (wt.). Pantone colors that include Warm Red contain a lower concentration.

# **Canadian Environmental Protection Act:**

WHMIS Classification: No data available

**European Chemical Agency (ECHA):** This mixture does not contain listed materials.

#### **SECTION 16: OTHER INFORMATION**

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Gans Ink and Supply Co., Inc. assumes no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein. Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.

