

### **Safety Data Sheet**

In compliance with OSHA Hazard Communication Standard (29 CFR 1910.1200)

### **SECTION 1: IDENTIFICATION**

**SDS Number:** 526, version 9/7/2018

(a) Product identifier Gans Item ID: UV16009, UV16504, UV16505

Gans Description: Uni-Plas PA HG OPV No Lam, Plastick MQ

(b) Other means of identification General description: UV-cure overprint varnish, ink

(c) Recommended use Product Use: Industrial use only Restrictions on use: Not for residential use.

#### (d) Supplier's details

Manufacturer:Gans Ink and Supply Co, Inc.Address:1441 Boyd StreetLos Angeles, CA 90033Contact Person:Marco RamosTelephone:323- 264-2200 x139Email:MSDS@gansink.com

#### (e) Emergency telephone numbers:

**Chemical spill or physical hazard:** Contact the Local Emergency Response Agency 9-1-1 or the Local Fire Department **Ingestion or health hazard:** Contact the National Capital Poison Center, Poison Control: 800 222-1222; Poison.org

### SECTION 2: HAZARD(S) IDENTIFICATION

(a) Classification: Not classified as Hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200). Physical hazards: Not classified as hazrdous Health hazards:

- Skin Irritation Category 2
- Eye Damage/Irritation Category 2A
- Sensitization, Skin Category 1A
- Toxic to Reproduction Category 1B

#### **Environmental hazards:**

- Hazardous to the Aquatic Environment, Acute Category 2
- Hazardous to the Aquatic Environment, Chronic Category 2



# (b) Label elements

Signal Word: Danger

**Hazard Statements:** Causes skin irritation; Causes serious eye irritation; May cause an allergic skin reaction; May damage fertility or the unborn child; Toxic to aquatic life; Toxic to aquatic life with long lasting effects;

**Precautionary Statements:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing fume/mist/ vapors/spray. Wash contaminated areas thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Avoid release to the environment.

#### Response:

If exposed or concerned: Get medical advice/attention.

IF ON SKIN OR HAIR: Wash with plenty of water and mild soap. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: Store locked up.

<u>Disposal</u>: Dispose of contents/container to disposal recycling center. Waste management should be in full compliance with federal, state and local laws.

### **Hazard Pictograms:**



#### (c) Hazards not otherwise classified: None known

(d) Ingredients of unknown acute toxicity: NA

# SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

Substance	CAS # (TS = trade secret)	Conc. min. (wt. %)	Conc. max. (wt. %)
Vinylester Resin	TS	16.5%	21.2%
Acrylated resin	TS	18.6%	20.9%
Hexamethylene diacrylate	13048-33-4	5.5%	11.0%
Esterfification product of poly[oxy(methyl-1,2- ethanediyl)], .alpha.,.alpha.'-(2,2-dimethyl-1,3- propanediyl)bis[.omegahydroxy- and prop-2- enoic acid	84170-74-1	5.2%	6.5%
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3- propanediyl diacrylate	15625-89-5	2.4%	5.9%



Page **2** of **7** 

		Conc. min.	Conc. max.
Substance	CAS # (TS = trade secret)	(wt. %)	(wt. %)
Gans Photoinitiator UVP-2002	TS	3.2%	4.0%
Gans Photoinitiator UVP-2035	TS	1.6%	2.0%
Siloxanes and Silicones, 3-[3-(acetyloxy)-2- hydroxypropoxy]propyl Me, di-Me, 3-[2-hydroxy- 3-[(1-oxo-2-propen-1-yl)oxy]propoxy]propyl Me	125455-51-8	0.8%	1.0%
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	0.2%	0.5%
Epoxy acrylate oligomer	TS	0.3%	0.4%
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid	55818-57-0	0.0%	0.2%
2,6-di-tert-butyl-p-cresol	128-37-0	0.0%	0.1%
Mequinol	150-76-5	0.0%	0.1%

# SECTION 4: FIRST AID MEASURES

### (a) Description of first aid measures:

**Inhalation:** If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. **Skin contact:** Wash with plenty of water and mild soap. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

**Eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician.

# (b) Most important symptoms and effects, both acute and delayed:

**Ingestion:** Data not available. Not classified as hazardous

Inhalation: May damage fertility or the unborn child;

Skin contact: Causes skin irritation; May cause an allergic skin reaction;

Eye contact: Causes serious eye irritation;

(c) Indication of any immediate medical attention and special treatment needed: Data not available.

# SECTION 5: FIRE – FIGHTING MEASURES

#### (a) Extinguishing Media:

**Suitable extinguishing media:** Use CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Unsuitable extinguishing media: Water with full jet.

# (b) Special hazards arising from the substance or mixture: None known

(c) Special protective equipment and precautions for fire-fighters: Wear NIOSH approved self-contained respiratory protective device, and fully protective fire-fighting suit.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# (a.i) Personal precautions:

Ensure adequate ventilation. Use personal protective equipment. Avoid breathing vapor. Avoid contact with skin, eye or clothing.



### (a.ii) Protective equipment: See Section 8

(a.iii) Emergency procedures: If dangerous conditions exist, contact emergency response personnel, follow emergency procedures, and contact emergency response authorities. Avoid release to the environment. Do not allow flow into storm drains or water ways, or into the natural environment.

Follow facility emergency spill and clean up procedure.

#### (b) Methods for containment and cleaning up:

Dike and contain spill. For large spills remove by mechanical means and place in containers. Absorb residue or small spills with absorbent material and remove to non-leaking containers for disposal.

### SECTION 7: HANDLING AND STORAGE

### (a) Precautions for safe handling:

Wear protective gloves/eye protection/face protection. Avoid breathing fume/mist/ vapors/spray. Wash contaminated areas thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment.

### (b) Conditions for safe storage:

Store in tightly-closed, original container in a dry and cool place. Protect from freezing and direct sunlight. Recommend storage temperature:  $32-95 \,^{\circ}F(0-35 \,^{\circ}C)$ 

Incompatibilities: Strong acids; Strong alkalis; Amines; Organic peroxides/hydroperoxides.

### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

(a) Permissible exposure limits		OSHA PEL		Cal/OSHA	NIOSH	ACGIH
				PEL	REL	2015 TVL
Substance	CAS #	ppm	mg/m <sup>3</sup>	8-hour	Up to 10-	8-hour
				TWA (ST)	hour	TWA (ST)
				STEL (C)	TWA	STEL (C)
				Ceiling	(ST)	Ceiling
					STEL (C)	
					Ceiling	
No hazardous ingredients in this						
mixture appear on OSHA						
Annotated Tables Z-1, Z-2, or						
Z-3.						

#### (b) Appropriate engineering controls:

Ventilation requirements: Ensure adequate ventilation for general industrial environment.

General protective measures: Ensure that eye flushing /eye wash stations, and hand washing areas are accessible.

#### (c) Personal protective equipment:

**Inhalation:** Avoid breathing fume/mist/ vapors/spray. Where fume/mist/ vapors/spray is present, an organic vapor full facepiece respirator is recommended (to protect eyes and face as well).



**Skin Contact:** Wear protective gloves. Contaminated work clothing must not be allowed out of the workplace. Neoprene or nitrile gloves are recommended. PVC gloves are not compatible. Always wear long sleeves and where exposure potential is high, a neoprene or other chemical resistant apron is recommended.

**Eye Contact**: Wear eye protection, and face protection. Eye and face protective devices must comply with ANSI Z87.1-1989. Recommended eye protection: full face shield.

Ingestion: Avoid eating, drinking, or smoking in work area and wash hands after handling this product.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

(a) Appearance (physical state, color): Viscous liquid, colorless

- (b) Odor: acrylate
- (c) Odor threshold: Data not available
- (d) **pH:** NA
- (e) Melting point/ freezing point: Data not available
- (f) Initial Boiling point / Range: >212 °F (> 100 °C)
- (g) Flashpoint: > 212 °F (> 100 °C)
- (h) Evaporation Rate: Data not available
- (i) Flammability (solid/ gas): Data not available
- (j) Upper/lower flammability explosion limits: Data not available
- (k) Vapor Pressure: Data not available
- (I) Vapor Density (Air = 1): Data not available
- (m) Relative Density  $(H_2O = 1)$ : 1.14
- (n) Solubility: Insoluble in water
- (o) Partition coefficient n-Octanol/ Water: Data not available
- (p) Auto-ignition temperature: Data not available
- (q) Decomposition temperature: Data not available
- (r) Viscosity: Data not available

# **Other properties**

**VOC % (wt.):** < 1.0 **VOC:** .09 (lbs./gal); 11 g/L

# SECTION 10: STABILITY AND REACTIVITY INFORMATION

(a) **Reactivity:** The reactivity data for this product will be typical of those for the following class of materials:

Strong acids. Strong alkalis. Oxidizing agents.

- (b) Chemical stability: Stable at normal ambient temperatures and when used as recommended.
- (c) Possibility of hazardous reactions: May polymerize.
- (d) Conditions to avoid: Avoid radical forming substances (metal-ions, peroxides).
- (e) Incompatible materials: Strong acids; Strong alkalis; Amines; Organic peroxides/hydroperoxides.
- (f) Hazardous decomposition product: Data not available

# SECTION 11: TOXICOLOGICAL INFORMATION

(a) Likely routes of exposure: Skin contact, eye contact, inhalation, ingestion.

#### (b) Symptoms related to physical, chemical, and toxicological characteristics:

**Skin contact:** Causes skin irritation; May cause an allergic skin reaction; **Eve contact:** Causes serious eye irritation;



# **Inhalation:** Not classified as Hazardous **Ingestion:** May damage fertility or the unborn child;

# (c) Delayed and immediate effects, and chronic effects from long-term exposure

• May damage fertility or the unborn child

# (d) Numerical measures of toxicity, acute:

	CAS # (TS=			
	trade			
Substance	secret)	Oral	Inhalation	Dermal
Vinylester Resin	TS	Data not available	Data not available	Data not available
Acrylated resin	TS	Data not available	Data not available	Data not available
Hexamethylene diacrylate	13048-33-4	LD50 5000 mg/kg bw (rat)	LC0 (7 h) 410 mg/m <sup>3</sup> air (rat)	LD50 3 650 mg/kg bw (rabbit)
Esterfification product	84170-74-1	LD50 5000 mg/kg bw (rat)	LC50 (4 h) 2 mg/L air (rat)	LD50 2000 mg/kg bw (rat)
2-ethyl-2	15625-89-5	LD50 5000 mg/kg bw (rat)	LC50 (6 h) 550 mg/m <sup>3</sup> air (rat)	LD50 4.7 mL/kg bw (rabbit)
Gans Photoinitiator UVP-2002	TS	LD50 1340 - 2756 mg/kg bw (rat)	Data not available	LD50 2000 mg/kg bw (rat)
Gans Photoinitiator UVP-2035	TS	LD50 5000 mg/kg bw (rat)	Data not available	LD50 2000 mg/kg bw (rat)
Siloxanes and Silicones	125455-51-8	Data not available	Data not available	Data not available
Glycerol, propoxylated	52408-84-1	LD50 2000 mg/kg bw (rat)	Data not available	LD50 2000 mg/kg bw (rabbit)
Epoxy acrylate oligomer	TS	Data not available	Data not available	Data not available
4,4'- Isopropylidene diphenol	55818-57-0	LD50 2000 mg/kg bw (rat)	Data not available	LD50 2000 mg/kg bw (rat)
2,6-di-tert- butyl-p-cresol	128-37-0	LD50 2930 - 6000 mg/kg bw (rat)	Data not available	LD50 2000 mg/kg bw (rat)
Mequinol	150-76-5	Data not available	Data not available	LD50 2 000 mg/kg bw (rat)

# (e) Carcinogens information:

IARC, Group 1 (Carcinogenic to humans), Group 2A (Probably carcinogenic to humans), or Group 2B (Possibly carcinogenic to<br/>humans) by IARC:NTP, 13th Report on Carcinogens:This mixture does not contain listed materials.OSHA:This mixture does not contain listed materials.

# **SECTION 12: ECOLOGICAL INFORMATION**

# (a) Ecotoxicity:

# **Classification of mixture:**

- Hazardous to the Aquatic Environment, Acute Category 2
- Hazardous to the Aquatic Environment, Chronic Category 2

(b) Persistence and degradability: No data available

# (c) Bioaccumulative potential: No data available.

(d) Mobility in soil: No data available



(e) Other adverse effects: Toxic to aquatic life; Toxic to aquatic life with long lasting effects;

### SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

#### SECTION 14: TRANSPORT INFORMATION

US DOT (Ground): Not regulated as a dangerous good

UN3082

Ш

(a) UN number:

(b) UN Proper Shipping Name: Environmentally hazardous substance, liquid, N.O.S., acrylated resin

- (c) Transport hazard class: 9
- (d) Packing Group:
- (e) Environmental hazards: Marine Pollutant
- (f) Transport in bulk

MARPOL 73/78: No data available

**IBC:** No data available

(g) Special Precautions: No data available

# SECTION 15: REGULATORY INFORMATION

**U.S. Federal Regulations** 

**TSCA Section 8(b) Inventory Status:** All ingredients in this mixture are listed on the TSCA Chemical Inventory, or are not required to be listed.

EPCRA, Section 302 – Extremely hazardous substances: This mixture does not contain listed materials.

CERCLA Hazardous Substances: This mixture does not contain listed materials.

EPCRA Section 313 Toxic Chemicals: This mixture does not contain listed materials.

CAA 112(r) Regulated Chemicals for Accidental Release Prevention: This mixture does not contain listed materials.

Hazardous Air Pollutants (HAP): This mixture does not contain listed materials

**U.S. State Regulations** 

California Proposition 65: This mixture does not contain listed materials.
New Jersey Right to Know: No data available
Oregon DEQ List of Air Toxic Contaminants: This mixture does not contain listed materials.
Pennsylvania Right to Know: No data available

# **Canadian Environmental Protection Act:**

WHMIS Classification: No data available

# **European Chemical Agency (ECHA)**

Candidate List of Substances of Very High Concern (SoVHC), including 27 June 2018 update: This mixture does not contain listed materials.

# **SECTION 16: OTHER INFORMATION**

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Gans Ink and Supply Co., Inc. assumes no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein. Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.



Page **7** of **7**