# **Material Safety Data Sheet #216**

For Printing Inks and related Materials OSHA Hazard Communication Standard, 29 CFR 1910.1200 Date of preparation: 8/9/00 Supersedes: 3/12/10 Updated: 5/22/2012 MSDS#: 216

# I. PRODUCT IDENTIFICATION

		HMIS H	AZARD IDENT	TFICATION
Manufacturer: Gans Ink and Supply Co, Inc.				
Address: 144	1 Boyd Street		Health	1
Los	s Angeles, CA 90033		Flammability	1
			Reactivity	1
Emergency phone: (323) 264-2200			Personal	В
			Protection	
Product Class: L	ithographic Printing Ink		s code: Various,	C
		X100961, X101	954, X101423, X	(101432, A109460-
		2, X101036, X010053, X102037 X102052,		
		X102513, X102	2827, X102950-5	3, X100817,
		X103066, X010	004, X103151, X	(103152, X103153,
		X103248, etc.		
Trade Name: OS Invisible Fluorescent Inks and Bases				

Material	CAS#	%	Exposure Limits	Units
White Mineral oil	8042-47-5	6.0	OSHA / PEL 5 mg/m3 ACGIH/ TLV 5mg/m3 ACGIH/ STEL 10mg/m	
This product does not cor Standard (29 CFR 1910.1	•	cals as defined	by the OSHA Hazard Comn	nunication

## III. HEALTH HAZARD INFORMATION

# **Effects of Overexposure**

**Inhalation:** Caution should be taken to prevent aerosolization or misting of this product. The threshold limit value (TLV) for this product as oil mist is 5 mg/M<sup>3</sup>. Exposures below 5 mg/M<sup>3</sup> appear to be without significant health risk. Acute overexposure may result in irritation of the throat and lungs. Chronic exposure to high concentrations of aerosols or mists to laboratory animals has resulted in non-specific symptoms related to the nervous system, gastrointestinal tract, and lungs.

**Skin Contact:** Avoid skin contact. This product is non-irritating to the skin upon direct contact. Prolonged or repeated contact may result in contact dermatitis which is characterized by dryness, chapping, and reddening. This condition may make the skin more susceptible to other irritants, sensitizers, and disease. Pre-existing skin conditions may make the skin more susceptible and facilitate uptake by this route.

Eye Contact: Avoid eye contact. This product may be slightly irritating to the eyes upon direct contact. This product has a low vapor pressure and is not expected to present a hazard to the eyes at ambient conditions. Exposure to high concentrations of vapors may be irritating to the eyes.

**Ingestion:** Do not ingest. Ingestion of small quantities is usually nonfatal unless aspiration occurs. Severe oral intoxication will lead to intense burning of the throat and may result in drowsiness, dullness, numbness, and headache followed by dizziness, weakness, and nausea. Loss of consciousness and convulsions followed by death may result. See Notes to Physician section below.

#### IV. FIRST AID PROCEDURES

#### **Emergency & First Aid Procedures**

**Eyes:** Immediately flush eyes with large amounts of water and continue flushing for 15 minutes until irritation subsides. If irritation persists, seek medical attention.

**Skin:** Remove contaminated clothing. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs, seek medical attention.

**Inhalation:** This material has a low vapor pressure and is not expected to present an inhalation exposure at ambient conditions. If mist or exposure is generated when the material is heated or handled, remove victim from exposure. If breathing has stopped or is irregular, administer artificial respiration and supply oxygen if it is available. If victim is unconscious, remove to fresh air and seek medical attention.

**Ingestion:** Do not induce vomiting. Seek immediate medical attention.

**Notes to Physician:** Aspiration may lead to chemical pneumonitis which is characterized by pulmonary edema and hemorrhage, and may be fatal. Signs of lung involvement include increased respiration rate, increased heart rate, and a bluish discoloration of the skin. Coughing, choking, and gagging are often noted at the time if aspiration. Gastrointestinal discomfort may develop, followed by vomiting, with risk of aspiration.

#### V. FIRE AND EXPLOSION DATA

Flash Point °F: >260 ° F PMCC		<b>Auto-ignition Temperature °F:</b> 428 °F	
Flammable Limits in Air	Lower Limit: No	o Data	Upper Limit: No Data

**Extinguishing Media:** Use water fog, foam, CO<sub>2</sub>, or dry chemical extinguishing media.

**Special Fire Fighting Procedures:** Water may be ineffective, but can be used to cool containers exposed to heat or flame. Fire fighters wear self contained breathing apparatus.

**Unusual Fire & Explosion Hazard:** Dense smoke may be generated while burning; carbon dioxide, carbon monoxide, and other oxides may be generated as products of combustion.

#### VI. ACCIDENTAL RELEASE

**Steps to be taken in event of spill or release:** Ventilate area. Absorb with an inert material such as sand, silica gel, vermiculite etc. Scrape up with trowel or scoop and place in a suitable container. Clean up with a suitable solvent. Do not allow to enter drains, sewers or waterways.

#### VII. HANDLING AND STORAGE

**Handling and Storage:** Store in containers in a cool, well-ventilated area. Keep away from all sources of ignition, open flame etc. Consumption of food and beverages should be avoided in work areas where hydrocarbons are present. Always wash hands and face with soap and water before eating, drinking, and smoking.

**Other Precautions:** For industrial use only. Do not ingest. Avoid prolonged contact with skin, contact with eyes, and breathing of mist or vapor.

### VIII, EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Ventilation Requirements:** If vapor or mist is generated when the material is heated or handled, adequate ventilation in accordance with good engineering practice must be provided to maintain concentrations below the specific exposure or flammable limits.

#### **Personal Protective Equipment**

**Respirator:** Respiratory protection is not required under conditions of normal use. If vapor or mist is generated when the material is heated or handled, use an organic vapor respirator with a dust and mist filter. All respirators must be NIOSH certified. Do not use compressed oxygen in hydrocarbon atmospheres.

**Skin:** No skin protection is required for single, short duration exposures. For prolonged exposures, use impervious synthetic rubber clothing (boots, gloves, etc.) over parts of the body subject to exposure

**Eye:** Eye protection is not required under conditions of normal use. If material is handled such that it could be splashed into eyes, wear plastic face shield or splash-proof safety glasses goggles.

#### IX PHYSICAL AND CHEMICAL DATA

<b>Boiling Range</b> ° <b>F:</b> 212 – 600 F	Vapor Density (Air = 1): > 1
<b>Relative Density</b> ( $H_2O = 1$ ): 1.09 – 1.44	Vapor Pressure (mm Hg @ 70°F): 0.1
Material Density Lbs./Gal: 9.08 – 11.99	Solubility in Water: Insoluble
%Volatiles by Weight: 6-19	% Solids by Weight: 81-94
VOC: Lbs/Gal: 2.28 max. g/L 274	Appearance/Odor: Colored paste

#### X. STABILITY AND REACTIVITY INFORMATION

	011/11 1 11/1 011/11111011
Stability (Thermal, Light, etc.): Stable	Conditions to avoid: Excessive heat, open flame
	sources of ignition.
Hazardous Polymerization: Will not occur.	Materials to avoid: Contact with strong oxidizers
	and acids.
<b>Hazardous Decomposition Products:</b> CO <sub>2</sub> , CO, and other oxides may be generated as products of	
combustion.	

# XI. TOXILOGICAL INFORMATION

CARCINOGEN: This product has not been identified as a carcinogen by OSHA or the National

Toxicology program (NTP), or the International Agency for Research Cancer (IARC).

Mutagen:No DataTeratogen:No DataReproductive Toxicity:No Data

# XII. ECOLOGICAL INFORMATION

This product has not been evaluated at this time. As with all chemicals and products, do not allow to enter waterways, sewers or drains.

# XIII. DISPOSAL INFORMATION

**Waste Disposal Method:** If recycling as ink is not possible, material may be incinerated or land filled at a licensed facility in accordance with local, state, and federal regulations.

#### XIV. TRANSPORT INFORMATION

Flammability Classification:

OSHA: Class III B
DOT Hazard Classification (Ground): Not Regulated

IMDG Hazard Classification:Non HazardousIMDG Packing Group (Ocean):Not Regulated

IATA Hazard Classification:Non HazardousIATA Packing Group (Air):Not Regulated

#### XV. REGULATORY INFORMATION

#### **SARA Title III Section 313:**

This material does Not contain chemicals subject to the reporting requirements of the SARA Superfund Amendments and Reauthorization Act.

#### SARA (Superfund Amendments and Reauthorization Act of 1986) Title III:

# SARA Section 302 - Extremely Hazardous Substances (EHS):

This product does not contain greater than 1.0% of any chemical substance on the SARA EHS list.

# SARA Section 304 – CERCLA (Comprehensive Environmental Response, Compensation and Liability Act):

This product does not contain any components regulated under Section 304 (40 CFR 302) as hazardous chemicals for emergency release notification ("CERCLA" List).

# SARA Section 311/312 – Hazard Communication Standard (HCS):

SARA Section 311/312: Acute health hazard: No

Chronic health hazard No Flammability hazard No Pressure hazard No Reactivity hazard No

This product does not contain any hazardous chemicals as defined by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

# TSCA Section 8(b) Inventory Status:

All component(s) of this product are either exempt or listed on the TSCA Inventory.

#### Canada

#### DSL (Canadian Domestic Substances List):

All components of this product are either exempt or listed on the DSL.

#### FDA:

This product is not registered with the FDA.

#### **U.S. State Regulations**

#### Coalition of Northeast Governors (CONEG) Legislation:

This product is in compliance with CONEG (i.e. total cadmium, hexavalent chromium, lead and mercury < 100 ppm)

# **California Proposition 65:**

This product may contains chemical(s) known by the state of California to cause cancer and/or reproductive harm.

Chemical	CAS#	<u>%</u>
Benzene	71-43-2	Trace amount
Formaldehyde	50-00-0	Trace amount (Calculated 0.016 %)

#### XVI OTHER INFORMATION

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.

Gans Ink and Supply Co., Inc. assume no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein.

Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.