Material Safety Data Sheet# 242Date of preparation:7/23/98For Printing Inks and related MaterialsUpdated:12/28/07OSHA Hazard Communication Standard, 29 CFR 1910.1200Supersedes:6/2002

### I. PRODUCT IDENTIFICATION

Manufacturer: Gans Ink and Supply Co, Inc.	HMIS HAZARD IDENTIFICATION
Address: 1441 Boyd Street	
Los Angeles, CA 90033	
	Health 1
Emergency phone: (323) 264-2200	Flammability 1
	Reactivity 0
	Personal B
	Protection
Product Class: Aqueous Coating Additive	Manufacturer's code: S-1303
Trade Name: Krystal Kote Stabilizer	

### II. COMPOSITION / INGREDIENTS

Material	CAS#	%	Exposure Limits	Units
Proprietary Mixture	NJTSRN-6000-1146	100 %	Not Established	
Hazard in Blend: None				

## III. HEALTH HAZARD INFORMATION

# **Effects of Overexposure**

**Inhalation:** Not expected to be a hazard due to low volatility under standard conditions. Inhalation of mist or vapor may cause irritation of respiratory tract. May aggravate existing lung conditions. Acute overexposure may result in irritation of the throat and lungs.

**Skin Contact:** Avoid skin contact. This product may cause slight to moderate irritation to the skin upon direct contact. May cause allergic reaction. Prolonged or repeated contact may result in contact dermatitis which is characterized by dryness, chapping, and reddening. This condition may make the skin more susceptible to other irritants, sensitizers, and disease. Pre-existing skin conditions may make the skin more susceptible and facilitate uptake by this route. Skin absorption; practically non- toxic.

**Eye Contact:** Avoid eye contact. This product may be slightly irritating to the eyes upon direct contact which is readily reversible with washing. Acute overexposure may result in possible allergic reaction. Chronic overexposure; May aggravate existing eye conditions.

**Ingestion:** Considered practically non-toxic.

# IV. FIRST AID PROCEDURES

# **Emergency & First Aid Procedures**

**Eyes:** Immediately flush eyes with large amounts of water and continue flushing for 15 minutes until irritation subsides. If irritation persists, seek medical attention.

**Skin:** Remove contaminated clothing. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs, seek medical attention.

**Inhalation:** This material has a low vapor pressure and is not expected to present an inhalation exposure at ambient conditions. If mist or exposure is generated when the material is heated or handled, remove victim from exposure. If breathing has stopped or is irregular, administer artificial respiration and supply oxygen if it is available. If victim is unconscious, remove to fresh air and seek medical attention.

**Ingestion:** OK to induce vomiting. Seek immediate medical attention.

**Notes to Physician:** Aspiration may lead to chemical pneumonitis which is characterized by pulmonary edema and hemorrhage, and may be fatal. Signs of lung involvement include increased respiration rate, increased heart rate, and a bluish discoloration of the skin. Coughing, choking, and gagging are often noted

at the time if aspiration. Gastrointestinal discomfort may develop, followed by vomiting, with risk of aspiration.

## V. FIRE AND EXPLOSION DATA

Flash Point °F: >200		Auto-ignition To	emperature °F: No Data
Flammable Limits in Air	Lower Limit: No	o Data	Upper Limit: No Data

**Extinguishing Media:** Use foam, CO<sub>2</sub>, or dry chemical extinguishing media.

**Special Fire Fighting Procedures:** Water may be ineffective, but can be used to cool containers exposed to heat or flame.

**Unusual Fire & Explosion Hazard:** Dense smoke may be generated while burning; carbon dioxide, carbon monoxide, and other oxides may be generated as products of combustion.

### VI. ACCIDENTAL RELEASE

**Steps to be taken in event of spill or release:** Scrape up with trowel or scoop and place in a suitable container. Clean up with detergent solutions. Provide adequate ventilation during clean – up.

## VII. HANDLING AND STORAGE

**Handling and Storage:** Store in containers in a cool, well-ventilated area. Store in sealed containers away from heat, open flames and oxidizing materials. Fire extinguishers must be kept readily available, and personnel should be trained in their proper use. See NFPA 30 and OSHA 1910.106- Flammable and Combustible Liquids. DO NOT TRANSFER to unmarked containers. Follow DOT regulations during transport.

**Other Precautions:** For industrial use only. Consumption of food and beverages should be avoided in work areas where hydrocarbons are present. Always wash hands and face with soap and water before eating, drinking, and smoking. Do not ingest. Avoid prolonged contact with skin, contact with eyes, and breathing of mist or vapor.

# VIII. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Ventilation Requirements:** If vapor or mist is generated when the material is heated or handled, adequate ventilation in accordance with good engineering practice must be provided to maintain concentrations below the specific exposure or flammable limits.

# **Personal Protective Equipment**

**Respirator:** Respiratory protection is not required under conditions of normal use. If vapor or mist in generated when the material is heated or handled, use an organic vapor respirator with a dust and mist filter. All respirators must be NIOSH certified. Do not use compressed oxygen in hydrocarbon atmospheres.

**Skin:** No skin protection is required for single, short duration exposures. For prolonged exposures, use impervious synthetic rubber clothing (boots, gloves, etc.) over parts of the body subject to exposure. Wash hands with soap before eating, smoking and / or using the toilet.

**Eye:** Eye protection is not required under conditions of normal use. If material is handled such that it could be splashed into eyes, wear plastic face shield or splash-proof safety glasses or goggles.

## IX. PHYSICAL AND CHEMICAL DATA

<b>Boiling Range</b> ° <b>F:</b> > 212° F	Vapor Density (Air = 1): > 1	
Relative Density ( $H_2O = 1$ ): 1.02	Vapor Pressure (mm Hg @ 70°F): N/A	
Material Density Lbs./Gal: 8.51	Solubility in Water: Insoluble	
%Volatiles by Weight: 55-60	Evaporation Rate: Slower than Butyl Acetate	
VOC: Lbs/Gal: 5.11 max. g/L: 612	Appearance/Odor: Milky Liquid/ Mild Ammonia	

#### X. STABILITY AND REACTIVITY INFORMATION

Stability (Thermal, Light, etc.): Stable	<b>Conditions to avoid:</b> Direct heating, open flame,
	dirt or chemical contamination
Hazardous Polymerization: Will not occur.	Materials to avoid: May react with strong oxidizing
	agents.
Hazardous Decomposition Products: Carbon Monoxide, Carbon Dioxide	

# XI. TOXICOLOGICAL INFORMATION

CARCINOGEN: This product has not been identified as a carcinogen by OSHA or the National

Toxicology program (NTP), or the International Agency for Research Cancer (IARC).

Mutagen:No DataTeratogen:No DataReproductive Toxicity:No Data

### XII. ECOLOGICAL INFORMATION

This product has not been evaluated at this time.

## XIII. DISPOSAL INFORMATION

**Waste Disposal Method:** If recycling as ink is not possible, material may be incinerated or land filled at a licensed facility in accordance with local, state, and federal regulations.

# XIV. TRANSPORT INFORMATION

Flammability Classification: Not Regulated Class III B
DOT: Not Regulated Not Regulated
DOT Shipping Name: Not Regulated
DOT Label: Not Applicable
DOT Identification Number: Not Applicable

# XV. REGULATORY INFORMATION

# **SARA Title III Section 313:**

This product DOES NOT CONTAIN a toxic chemical in excess of 1% of the mixture (0.1% if the listed toxic chemical is a carcinogen)

Section 302: (Extremely Hazardous Substances) this product DOES NOT contain an extremely hazardous substance.

**Section 311 / 312:** Pursuant to Section 311/312 of SARA Title III, the physical and health hazard Categories for this product are identified below:

Fire Hazard: NO
Sudden Release of Pressure Hazard: NO
Reactivity Hazard: NO
Immediate (Acute) Health Hazard: NO
Delayed (Chronic) Health Hazard: NO

#### TSCA Section 8(b) Inventory Status:

All component(s) of this product are either exempt or listed on the TSCA Inventory.

#### **California Proposition 65:**

This product does not intentionally contain any chemicals known by the state of California to cause cancer and/or reproductive harm. Moreover, Gans Ink and Supply Co., Inc. does not routinely analyze its products for impurities which may be such chemicals.

# XVI OTHER INFORMATION

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Gans Ink and Supply Co., Inc. assume no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein. Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.