

Safety Data Sheet

In compliance with OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 1: IDENTIFICATION

SDS Number: 639, version 3/27/2018

(a) Product identifier Gans Item ID: X101621, X101120, X103528

Gans Description: Numbering Black / Fluor Gold, Numbering Black W/ Fluor Green, Numbering Black W/Fluor Orange

(b) Other means of identification

General description: Lithographic and letterpress printing ink

(c) Recommended use

Product Use: Industrial use only **Restrictions on use:** Not for residential use.

(d) Supplier's details

Manufacturer:Gans Ink and Supply Co, Inc.Address:1441 Boyd StreetLos Angeles, CA 90033Contact Person:Marco RamosTelephone:323- 264-2200 x139Email:MSDS@gansink.com

(e) Emergency telephone number:

Available only during business hours.
(323) 264-2200 Monday- Friday 7:00 A.M.– 9:00 P.M.
24 Hours Response: Los Angeles County Fire Department / HazMat. Department

SECTION 2: HAZARD(S) IDENTIFICATION

(a) Classification

This mixture is hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Physical hazards: Not classified as hazardous

Health hazards:

- o Eye Damage/Irritation Category 2A
- Sensitization, Skin Category 1B
- o Germ Cell Mutagenicity Category 1B
- o Carcinogenicity Category 1B
- Toxic to Reproduction Category 2



Page 1 of 7

(b) Label elements

Signal Word: Danger

Hazard Statements: Causes serious eye irritation; May cause an allergic skin reaction; May cause genetic defects; May cause cancer Suspected of damaging fertility or the unborn child

Precautionary Statements:

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing fume/mist/ vapors/spray. Wash contaminated areas thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Response: If exposed or concerned: Get medical advice/attention.

IF SWALLOWED: If exposed or concerned: Get medical advice/attention.

IF INHALED: If exposed or concerned: Get medical advice/attention.

IF ON SKIN OR HAIR: Wash with plenty of water and mild soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container to disposal recycling center. Waste management should be in full compliance with federal, state and local laws.

Hazard Pictograms:



(c) Hazards not otherwise classified None known

(d) Ingredients of unknown acute toxicity None known



Page **2** of **7**

SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

TS = Trade Secret (as specified by substance manufacturer)

	CAS # (TS = trade	Conc. min.	Conc. max.
Substance	secret)	(wt. %)	(wt. %)
Quaternary ammonium compounds, benzyl(hydrogenated tallow	71011-25-1	0.0%	3.0%
alkyl)dimethyl, chlorides, compds. with bentonite and bis(hydrogenated			
tallow alkyl)dimethylammonium chlorides			
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	1.8%	2.3%
3,6-bis(diethylamino)-9-[2-(methoxycarbonyl)phenyl]xanthylium tetrachlorozincate	73398-89-7	0.0%	1.8%
3,6-bis(ethylamino)-9-[2-(methoxycarbonyl)phenyl]-2,7-	3068-39-1	0.0%	1.8%
dimethylxanthylium chloride			
Rosin Adduct Ester	TS	1.0%	1.3%
Naphtha (petroleum), hydrotreated heavy	64742-48-9	0.0%	0.3%
Distillates (petroleum), sweetened middle	64741-86-2	0.0%	0.1%
2-(2-methoxy)ethanol	111-77-3	0.0%	0.1%
Calcium bis(2-ethylhexanoate)	136-51-6	0.0%	0.0%

SECTION 4: FIRST AID MEASURES

(a) Description of first aid measures:

Ingestion: If exposed or concerned: Get medical advice/attention..

Inhalation: If exposed or concerned: Get medical advice/attention.

Skin contact: Wash with plenty of water and mild soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

(b) Most important symptoms and effects, both acute and delayed:

Ingestion: May cause genetic defects; May cause cancer; Suspected of damaging fertility or the unborn child. **Skin contact:** May cause an allergic skin reaction; **Eye contact:** Causes serious eye irritation;

(c) Indication of any immediate medical attention and special treatment needed:

Symptoms such as burning, pain, or irritation of eyes, or skin may indicate exposure and the need for first aid.

SECTION 5: FIRE – FIGHTING MEASURES

(a) Extinguishing Media:

Suitable extinguishing media: Use CO₂, dry chemical, fire-fighting foam, or water fog extinguishing media **Unsuitable extinguishing media:** Do not use water stream. Water stream or spray is OK to cool unopened containers only.

(b) Special hazards arising from the substance or mixture: None known



(c) Special protective equipment and precautions for fire-fighters: Wear NIOSH approved self-contained respiratory protective device, and fully protective fire-fighting suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

(a.i) Personal precautions:

Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Avoid contact with skin, eye or clothing. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing fume/mist/ vapors/spray. Ensure adequate ventilation. Wash contaminated areas thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

(a.ii) Protective equipment: See Section 8 for details. Use personal protective equipment that is appropriate for the general industrial environment.

(a.iii) Emergency procedures: If dangerous conditions exist, contact emergency response personnel, follow emergency procedures, and contact emergency response authorities.

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Isolate hazard area and keep unnecessary people away. Follow emergency procedures that are appropriate for the general industrial environment. If spilled material is cleaned up using a regulated solvent, the resulting waste mixture may be regulated

(b) Methods for containment and cleaning up:

Dike and contain spill. For large spills remove by mechanical means and place in containers. Absorb residue or small spills with absorbent material and remove to non-leaking containers for disposal.

SECTION 7: HANDLING AND STORAGE

(a) Precautions for safe handling:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection, face protection. Avoid breathing fume, mist, vapors, spray. Wash hands and contaminated areas thoroughly after handling.

(b) Conditions for safe storage:

Store locked up. Avoid excessive heat or cold.

Incompatibilities: Keep away from strong oxidizing agents.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

(a) Permissible exposure limits		OSHA PEL		Cal/OSHA	NIOSH	ACGIH	
				PEL	REL	2015 TVL	
Substance	CAS #	ppm	mg/m ³	8-hour	Up to 10-	8-hour	
				TWA (ST)	hour	TWA (ST)	
				STEL (C)	TWA	STEL (C)	
				Ceiling	(ST)	Ceiling	
					STEL (C)		
					Ceiling		
No hazardous ingredients in this							1
mixture appear on OSHA							
Annotated Tables Z-1, Z-2, or							
Z-3.							



Page 4 of 7

(b) Appropriate engineering controls:

Ventilation requirements: Handle only in a place equipped with local exhaust (or other appropriate exhaust). Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

General protective measures: Ensure that eye flushing /eye wash stations, and hand washing areas are accessible.

(c) Personal protective equipment:

Inhalation: Avoid breathing fume/mist/ vapors/spray. Where fume/mist/ vapors/spray is present, an organic vapor respirator, or full facepiece respirator is recommended (to protect eyes and face as well).

Skin Contact: Wear protective gloves, and protective clothing. Contaminated work clothing must not be allowed out of the workplace. Nitrile rubber gloves are compatible with ink chemistry.

Eye Contact: Wear eye protection, and face protection. Eye and face protective devices must comply with ANSI Z87.1-1989. Recommended eye protection: full face shield.

Ingestion: Avoid eating, drinking, or smoking in work area and wash hands after handling this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

(a) Appearance (physical state, color): Viscous paste, black or near-black color

- (b) Odor: Oleoresinous
- (c) Odor threshold: Data not available
- (d) **pH:** NA
- (e) Melting point/ freezing point; Data not available
- (f) Initial Boiling point / Range: Data not available
- (g) Flashpoint: > 200 °F (> 93 °C)
- (h) Evaporation Rate: Data not available
- (i) Flammability (solid/ gas): Data not available
- (j) Upper/ lower flammability explosion limits: Data not available
- (k) Vapor Pressure (mm Hg @ 68°F): Data not available
- (I) Vapor Density (Air = 1): Data not available
- (m) Relative Density ($H_2O = 1$): ~ 1.0
- (n) Solubility: Minimally soluble in water
- (o) Partition coefficient n- Octanol/ Water: Data not available
- (p) Auto-ignition temperature: Data not available
- (q) Decomposition temperature: Data not available
- (r) Viscosity: Data not available

Other properties

VOC % (wt.): 5.0 – 12.3 **VOC:** 0.42 – 1.02 (lbs./gal); 50 – 123 g/L

SECTION 10: STABILITY AND REACTIVITY INFORMATION

- (a) Reactivity: Not reactive under normal storage conditions. See Section 7.
- (b) Chemical stability: Mixture is chemically stable under normal storage and handling conditions, and under normal temperatures and pressures.
- (c) Possibility of hazardous reactions: No data available
- (d) Conditions to avoid: Keep away from open flames, sparks, hot surfaces and sources of ignition.
- (e) Incompatible materials: Strong oxidizers.
- (f) Hazardous decomposition product: Thermal decomposition may yield carbon dioxide and/or carbon monoxide.



SECTION 11: TOXICOLOGICAL INFORMATION

(a) Likely routes of exposure: Skin contact, eye contact, inhalation, and ingestion.

(b) Symptoms related to physical, chemical, and toxicological characteristics:

Skin contact: May cause an allergic skin reaction;

Eye contact: Causes serious eye irritation

Inhalation: No data available

Ingestion: May cause genetic defects; May cause cancer; Suspected of damaging fertility or the unborn child

(c) Delayed and immediate effects, and chronic effects from long-term exposure

May cause genetic defects; May cause cancer; Suspected of damaging fertility or the unborn child

	CAS #				
	(TS= trade				
Substance	secret)	Oral	Inhalation	Dermal	
Quaternary					
ammonium	71011-25-1	No data available	No data available	No data available	
compounds,					
Distillates	64742-53-6	5 LD50 5000 mg/kg bw (rat) LC50 (4 h) 2.18 - 5.53		LD50 2 000 - 5 000	
(petroleum),	04742-33-0	LD30 5000 mg/kg bw (lat)	mg/L air (rat)	mg/kg bw (rabbit)	
colorant	73398-89-7	LD50 50 - 300 mg/kg bw	No data available	No data available	
		(rat)	No data available		
colorant	3068-39-1	LD50 410 - 453 mg/kg bw	LC50 (4 h) 50 - 500	No data available	
		(rat)	mg/m ³ air (rat)		
Rosin Adduct	TS	Ne data angilahla	Na data anailahla	No data available	
Ester	15	No data available	No data available		
Naphtha	(4742 48 0	L D50 5000	Na data anallahla	LD50 2000 mg/kg bw (rabbit)	
(petroleum),	64742-48-9	LD50 5000 mg/kg bw (rat)	No data available		
Distillates	64741-86-2	LD50 5000 mg/kg huy (rot)	LC50 (4 h) 1.72 - 4.6	LD50 2000 mg/kg bw	
(petroleum),	04/41-80-2	LD50 5000 mg/kg bw (rat)	mg/L air (rat)	(rabbit)	
2-(2-		LD50 7129 9199 mg/kg	LC0 (6 h) 1.2 mg/L air		
methoxyethoxy)	111-77-3	LD50 7128 - 8188 mg/kg	-	LD50 9404 mg/kg bw	
ethanol		bw (mouse)	(rat)	(rabbit)	
Calcium bis(2-	126 51 6	LD50 2042 mg/leg huy (met)	LC0 (8 h) 110 mg/m ³	LD50 2000 mg/kg bw	
ethylhexanoate) 136-51-6		LD50 2043 mg/kg bw (rat)	air (rat)	(rat)	

(d) Numerical measures of toxicity, acute:

(e) Carcinogens information:

IARC; Group 1 (Carcinogenic to humans), Group 2A (Probably carcinogenic to humans), or Group 2B (Possibly carcinogenic to
humans) by IARC:NTP; 13th Report on Carcinogens:This mixture does not contain listed materials.OSHA:This mixture does not contain listed materials.

SECTION 12: ECOLOGICAL INFORMATION

(a) Ecotoxicity

Classification of mixture: Not classified as hazardous
(b) Persistence and degradability: No data available
(c) Bioaccumulative potential: No data available.
(d) Mobility in soil: No data available
(e) Other adverse effects: No known adverse effects



Page 6 of 7

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: TRANSPORT INFORMATION

- US DOT (Ground): Not regulated as a dangerous good (a) UN number: Not regulated as a dangerous good (b) UN Proper Shipping Name: Not regulated as a dangerous good (c) Transport hazard class: Not regulated as a dangerous good (d) Packing Group: Not regulated as a dangerous good (e) Environmental hazards: Not regulated as a dangerous good (f) Transport in bulk MARPOL 73/78: Not regulated as a dangerous good IBC: Not regulated as a dangerous good.
- (g) Special Precautions: None known

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations

TSCA Section 8(b) Inventory Status: All ingredients of this mixture are listed on the TSCA Inventory

EPCRA, Section 302 – Extremely hazardous substances: This mixture does not contain listed materials. **CERCLA Hazardous Substances:** This mixture does not contain listed materials.

EPCRA Section 313 Toxic Chemicals: This mixture does not contain listed materials.

CAA 112(r) Regulated Chemicals for Accidental Release Prevention: This mixture does not contain listed materials. Hazardous Air Pollutants (HAP): This mixture does not contain listed materials.

U.S. State Regulations

Pennsylvania Right to Know:

• 2-(2-methoxyethoxy) ethanol CAS 111-77-3 **New Jersey Right to Know:** This mixture does not contain listed materials.

California Proposition 65: This mixture does not contain listed materials.

Canadian Environmental Protection Act:

WHMIS Classification: No data available

European Chemical Agency (ECHA): This mixture does not contain listed materials.

SECTION 16: OTHER INFORMATION

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Gans Ink and Supply Co., Inc. assumes no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein. Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.



Page 7 of 7