

Safety Data Sheet

In compliance with OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 1: IDENTIFICATION

SDS Number: S-1847, version 7/13/2018

(a) Product identifier Gans Item ID: S-1847D, S-1847G, S-1847P

Gans Description: Gans Power Clene UV Wash

(b) Other means of identification

General description: Lithographic press cleaning solvent

(c) Recommended use

Product Use: Industrial use only **Restrictions on use:** Not for residential use.

(d) Supplier's details

Manufacturer:Gans Ink and Supply Co, Inc.Address:1441 Boyd StreetLos Angeles, CA 90033Contact Person:Marco RamosTelephone:323- 264-2200 x139Email:MSDS@gansink.com

(e) Emergency telephone numbers:

Chemical spill or physical hazard: Contact the Local Emergency Response Agency 9-1-1 or the Local Fire Department **Ingestion or health hazard:** Contact the National Capital Poison Center, Poison Control: 800 222-1222; Poison.org

SECTION 2: HAZARD(S) IDENTIFICATION

(a) Classification

This mixture is hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Physical hazards:

o Flammable Liquid Category 4

Health hazards:

- o Acute Toxicity, Oral Category 4
- Acute Toxicity, Dermal Category 4
- Acute Toxicity, Inhalation Category 4
- Skin Irritation Category 2
- Eye Damage/Irritation Category 2A



Page 1 of 8

- Carcinogenicity Category 2
- o Specific Target Organ Toxicity, Single Exposure, Central Nervous System Category 3
- Aspiration Hazard Category 1

(b) Label elements

Signal Word: Danger

Hazard Statements: Combustible liquid; Harmful if swallowed; May be fatal if swallowed and enters airways; Suspected of causing cancer; Harmful in contact with skin; Causes skin irritation; Harmful if inhaled; May cause drowsiness or dizziness

Precautionary Statements:

Prevention: Keep away from flames and hot surfaces. – No smoking. Do not eat, drink or smoke when using this product. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing fume/mist/ vapors/spray. Use only outdoors or in a well-ventilated area.

Wash all contaminated areas thoroughly after handling.

Response: If exposed or concerned: Get medical advice/attention.

IN CASE OF FIRE: Use CO₂, dry chemical, fire-fighting foam, or water fog to extinguish.
IF SWALLOWED: Immediately call a poison center/doctor. Rinse mouth. Do NOT induce vomiting.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
IF ON SKIN OR HAIR: Wash with plenty of water and mild soap. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes.

Storage: Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Disposal: Dispose of contents/container to disposal recycling center. Waste management should be in full compliance with federal, state and local laws.

Hazard Pictograms:



(c) Hazards not otherwise classified None known

(d) Ingredients of unknown acute toxicity None Known



Page 2 of 8

SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture TS = Tra	TS = Trade Secret (as specified by substance manufacturer)			
		Conc. min.	Conc. max.	
Substance	CAS # (TS = trade secret)	(wt. %)	(wt. %)	
2-butoxyethanol	111-76-2	30.0%	40.0%	
Solvent naphtha (petroleum), heavy aromatic	64742-95-6	20.0	30.0	
Industrial fragrance	TS	1.0%	6.0%	

SECTION 4: FIRST AID MEASURES

(a) Description of first aid measures:

Ingestion: Immediately call a poison center/doctor. Do NOT induce vomiting. Rinse mouth.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

Skin contact: Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse.

Eye contact: Rinse cautiously with water for several minutes.

(b) Most important symptoms and effects, both acute and delayed:

Ingestion: Harmful if swallowed; May be fatal if swallowed and enters airways; Suspected of causing cancer.Inhalation: Harmful if inhaled; May cause drowsiness or dizzinessSkin contact: Harmful in contact with skin; Causes skin irritationEye contact: No data available

(c) Indication of any immediate medical attention and special treatment needed:

No data available

SECTION 5: FIRE – FIGHTING MEASURES

(a) Extinguishing Media:

Suitable extinguishing media: Use CO₂, dry chemical, fire-fighting foam, or water fog extinguishing media **Unsuitable extinguishing media:** Do not use water stream. Water stream or spray is OK to cool unopened containers only.

(b) Special hazards arising from the substance or mixture: Vapor is heavier than air, spreads along the ground and distant ignition is possible.

(c) Special protective equipment and precautions for fire-fighters: Wear NIOSH approved self-contained respiratory protective device, and fully protective fire-fighting suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

(a.i) Personal precautions:

Ensure adequate ventilation. Use personal protective equipment. Avoid breathing vapor. Avoid contact with skin, eye or clothing. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

(a.ii) Protective equipment: See Section 8.



(a.iii) Emergency procedures: If dangerous conditions exist, contact emergency response personnel, follow emergency procedures, and contact emergency response authorities.

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Isolate hazard area and keep unnecessary people away.

(b) Methods for containment and cleaning up:

Dike and contain spill. For large spills remove by mechanical means and place in containers. Absorb residue or small spills with absorbent material and remove to non-leaking containers for disposal.

SECTION 7: HANDLING AND STORAGE

(a) Precautions for safe handling:

Keep away from flames and hot surfaces. – No smoking. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing fume/mist/ vapors/spray. Use only outdoors or in a well-ventilated area.

(b) Conditions for safe storage:

Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Suitable container materials: carbon steel, stainless steel.

Incompatibilities: Avoid prolonged contact with butyl rubber, natural rubber

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

(a) Permissible exposure limits		OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TVL
Substance	CAS #	ppm	mg/m ³	8-hour TWA (ST) STEL (C) Ceiling	Up to 10- hour TWA (ST) STEL (C) Ceiling	8-hour TWA (ST) STEL (C) Ceiling
2-butoxyethanol	111-76-2	50	240	20 ppm	5 ppm	20 ppm
Solvent naphtha (petroleum), heavy aromatic	64742-95-6	No data available	No data available	No data available	No data available	No data available
Naphthalene (component of 64742-95-6)	91-20-3	10	50	0.1 ppm	10 ppm (ST) 15 ppm	10 ppm (ST) 15 ppm
Industrial fragrance	TS	No data available	No data available	No data available	No data available	No data available

(b) Appropriate engineering controls:

Ventilation requirements: Use only outdoors or in a well-ventilated area. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

General protective measures: Ensure that eye flushing /eye wash stations, and hand washing areas are accessible.

(c) Personal protective equipment:

Inhalation: Avoid breathing fume/mist/ vapors/spray. Where fume/mist/ vapors/spray is present, an organic vapor full facepiece respirator is recommended (to protect eyes and face as well).



Skin Contact: Wear protective gloves, and protective clothing. Contaminated work clothing must not be allowed out of the workplace. Ansell Chemical Resistance Guide, 8th Edition recommends the following glove materials for butyl cellosolve (2-butoxyethanol), and VM&P Naphtha (chemistry similar to CAS 64742-95-6): Barrier, laminate film; Sol-Vex, nitrile; 29-Series, unsupported neoprene; PVA, supported polyvinyl alcohol

Eye Contact: Wear eye protection, and face protection. Eye and face protective devices must comply with ANSI Z87.1-1989. Recommended eye protection: full face shield.

Ingestion: Avoid eating, drinking, or smoking in work area and wash hands after handling this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

(a) Appearance (physical state, color): Liquid, clear, colorless to slightly golden colored

- (b) Odor: Organic solvent
- (c) Odor threshold: Data not available
- (d) **pH:** NA
- (e) Melting point/ freezing point; Data not available
- (f) Initial Boiling point / Range: $340 397 \text{ }^{\circ}\text{F} (171 203 \text{ }^{\circ}\text{C})$
- (g) Flashpoint: > 151 °F (66 °C)
- (h) Evaporation Rate (n-butyl acetate = 1): Data not available
- (i) Flammability (solid/ gas): Data not available
- (j) Upper/lower flammability explosion limits: Data not available
- (k) Vapor Pressure (mm Hg @ 68°F): Data not available
- (l) **Vapor Density** (Air = 1): Data not available
- (m) Relative Density $(H_2O = 1)$: .901 calculated
- (n) Solubility (in water): negligible
- (o) Partition coefficient n- Octanol/ Water: Data not available
- (p) Auto-ignition temperature: Data not available
- (q) Decomposition temperature: Data not available
- (r) Viscosity: Data not available

Other properties

VOC % (wt.): ~100 **VOC:** 7.50 lbs./gal.; 901 g/L

SECTION 10: STABILITY AND REACTIVITY INFORMATION

(a) Reactivity: Not reactive under normal storage conditions. See Section 7.

(b) Chemical stability: Mixture is chemically stable under normal storage and handling conditions, and under normal temperatures and pressures.

- (c) Possibility of hazardous reactions: No data available
- (d) Conditions to avoid: Keep away from open flames, sparks, hot surfaces and sources of ignition.
- (e) Incompatible materials: Strong oxidizers.
- (f) Hazardous decomposition product: Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

SECTION 11: TOXICOLOGICAL INFORMATION

(a) Likely routes of exposure: Skin contact, eye contact, inhalation, and ingestion.

(b) Symptoms related to physical, chemical, and toxicological characteristics:

Skin contact: May dry the skin leading to discomfort and dermatitis. Based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline 404.

Eye contact: May cause mild, short-lasting discomfort to eyes. Based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline 405.

Inhalation: May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Minimally Toxic. Based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline 403

Ingestion: May be fatal if swallowed and enters airways. Minimally Toxic. Based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline 401

(c) Delayed and immediate effects, and chronic effects from long-term exposure

Suspected of causing cancer

(d) Numerical measures of toxicity, acute:

	CAS #			
	(TS= trade			
Substance	secret)	Oral	Inhalation	Dermal
		LD50 1414 mg/kg bw	LC50 (8 h) 800 ppm	LD50 2000 mg/kg bw
2-butoxyethanol	111-76-2	(guinea pig); LD0 500	(rat); LC0 (7 h) 400	(rat); LD0 2 000
		mg/kg bw (guinea pig)	ppm (guinea pig)	mg/kg bw (guinea pig)
Solvent naphtha				LD50 2000
(petroleum),	64742-95-6	LD50 5000 mg/kg bw (rat)	No data available	LD50 2000 mg/kg bw (rabbit)
heavy aromatic				(labolt)
Industrial	TS	Data not available	Data not available	Data not available
fragrance		Data not available	Data not available	Data not available

(e) Carcinogens information:

IARC; Group 1 (Carcinogenic to humans), Group 2A (Probably carcinogenic to humans), or Group 2B (Possibly carcinogenic to humans) by IARC:

• Naphthalene 91-20-3, < 5.6%, Group 2B

NTP; 13th Report on Carcinogens:

• Naphthalene 91-20-3, < 5.6%, RAHC (Reasonably anticipated to be a human carcinogen)

OSHA: This mixture does not contain listed materials.

SECTION 12: ECOLOGICAL INFORMATION

(a) Ecotoxicity

Classification of mixture: Not classified as hazardous
(b) Persistence and degradability: No data available
(c) Bioaccumulative potential: No data available.
(d) Mobility in soil: No data available
(e) Other adverse effects: No known adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

RCRA Codes

• Naphthalene 91-20-3, < 5.6%: U165



SECTION 14: TRANSPORT INFORMATION

US DOT (Ground):

- (a) UN number: UN1268
- (b) UN Proper Shipping Name: Petroleum Distillates, N.O.S.
- (c) Transport hazard class: Combustible Liquid, 3
- (d) Packing Group:
- (e) Environmental hazards: Not considered marine pollutant

PG III

(f) Transport in bulk

MARPOL 73/78: No data available IBC: No data available.

(g) Special Precautions: None known

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations

TSCA Section 8(b) Inventory Status: All ingredients of this mixture are listed on the TSCA Inventory EPCRA, Section 302 – Extremely hazardous substances: This mixture does not contain listed materials. CERCLA Hazardous Substances:

• Naphthalene 91-20-3, < 5.6%: RQ = 100

- **EPCRA Section 313 Toxic Chemicals:**
 - Naphthalene 91-20-3, < 5.6%
 - 1,2,4-Trimethylbenzene 95-63-6 < 1.0%

CAA 112(r) Regulated Chemicals for Accidental Release Prevention: This mixture does not contain listed materials. Hazardous Air Pollutants (HAP): This mixture does not contain listed materials.

U.S. State Regulations

California Proposition 65:

WARNING: This product can expose you to chemicals including naphthalene, which are known to the State of California to cause cancer. For more information go to <u>www.P65Warnings.ca.gov</u>. Complete list:

• Naphthalene 91-20-3, < 3.0%

Oregon DEQ List of Air Toxic Contaminants: This mixture does not contain listed materials.

- o 2-butoxyethanol 111-76-2
- o Naphthalene 91-20-3, < 5.6%
- o 1,2,4-Trimethylbenzene 95-63-6 < 1.0%

New Jersey Right to Know

- o 2-butoxyethanol 111-76-2
- Naphthalene 91-20-3, < 5.6%
- o 1,2,4-Trimethylbenzene 95-63-6 < 1.0%

Pennsylvania Right to Know

- o 2-butoxyethanol 111-76-2
- Naphthalene 91-20-3, < 5.6%
- o 1,2,4-Trimethylbenzene 95-63-6 < 1.0%

Canadian Environmental Protection Act:



Page **7** of **8**

European Chemical Agency (ECHA): No data available

SECTION 16: OTHER INFORMATION

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Gans Ink and Supply Co., Inc. assumes no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein. Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.

