

# **Safety Data Sheet**

In compliance with OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### **SECTION 1: IDENTIFICATION**

**SDS Number:** 618, version 3/1/2019

#### (a) Product identifier

Gans Item ID: PPC001, PPC002, PPC003, PPC004, PPC005, PPC006, PPC007, PPC008, PPC009, PPC010, PPC011, PPC012,

PPC013, PPC009; F-1059, F-1060, F-1061, F-1062, F-1063, F-1064, F-1065, F-1066, F-1067, F-1068, F-1069,

Pantone Reference Color: Where # is any whole number from 0 to 9

PPC###, PPC####, PPCCG##, PPCWG##

I011938

Gans Description: OS Polyacrylic, Chicago (mixing colors), LPR Opaque P

## (b) Other means of identification

General description: Lithographic printing ink

# (c) Recommended use

Product Use: Industrial use only

**Restrictions on use:** Not for residential use.

## (d) Supplier's details

Manufacturer: Gans Ink and Supply Co, Inc.

Address: 1441 Boyd Street

Los Angeles, CA 90033

Contact Person: Marco Ramos
Telephone: 323- 264-2200 x139
Email: MSDS@gansink.com

## (e) Emergency telephone numbers:

**Chemical spill or physical hazard:** Contact the Local Emergency Response Agency 9-1-1, or the Local Fire Department **Ingestion or health hazard:** Contact the National Capital Poison Center, Poison Control: 800 222-1222; Poison.org

# **SECTION 2: HAZARD(S) IDENTIFICATION**

# (a) Classification

This mixture is hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Physical hazards: Not classified as hazardous

#### Health hazards:

- o Sensitization, Skin Category 1
- o Carcinogenicity Category 1B



# (b) Label elements

Signal Word: Danger

Hazard Statements: May cause an allergic skin reaction; May cause cancer

# **Precautionary Statements:**

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing fume/mist/ vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

#### Response:

IF SWALLOWED: If exposed or concerned: Get medical advice/attention.

IF INHALED: Data not available; not classified as hazardous

IF ON SKIN OR HAIR: Wash with plenty of water/. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes.

Storage: Store locked up.

Disposal: Dispose of contents/container to disposal recycling center. Waste management should be in full compliance with federal, state and local laws.

#### **Hazard Pictograms:**



# (c) Hazards not otherwise classified

None known

# (d) Ingredients of unknown acute toxicity

None known

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

TS = Trade Secret (as specified by substance manufacturer)

		Conc. min.	Conc. max.
Substance	CAS # (TS = trade secret)	(wt. %)	(wt. %)
Distillates (petroleum), hydrotreated middle	64742-46-7	0.0%	10.8%
2-tert-butylhydroquinone	1948-33-0	0.0%	0.2%
Distillates (petroleum), sweetened middle	64741-86-2	0.0%	0.2%



#### **SECTION 4: FIRST AID MEASURES**

#### (a) Description of first aid measures:

**Ingestion:** If exposed or concerned: Get medical advice/attention.

Inhalation: Data not available

Skin contact: Wash with plenty of water/. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing

before reuse.

Eye contact: Rinse cautiously with water for several minutes.

# (b) Most important symptoms and effects, both acute and delayed:

**Ingestion:** May cause cancer

Inhalation: Data not available

Skin contact: May cause an allergic skin reaction

Eye contact: Data not available

#### (c) Indication of any immediate medical attention and special treatment needed:

Symptoms such irritation to skin may indicate exposure and the need for first aid.

#### **SECTION 5: FIRE - FIGHTING MEASURES**

## (a) Extinguishing Media:

Suitable extinguishing media: Use CO<sub>2</sub>, dry chemical, fire-fighting foam, or water fog extinguishing media

Unsuitable extinguishing media: Do not use water stream. Water stream or spray is OK to cool unopened containers only.

(b) Special hazards arising from the substance or mixture: None known

(c) Special protective equipment and precautions for fire-fighters: Wear NIOSH approved self-contained respiratory protective device, and fully protective fire-fighting suit.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### (a.i) Personal precautions:

Ensure adequate ventilation. Use personal protective equipment. Avoid breathing vapor. Avoid contact with skin, eye or clothing.

(a.ii) Protective equipment: See Section 8

(a.iii) Emergency procedures: If dangerous conditions exist, contact emergency response personnel, follow emergency procedures, and contact emergency response authorities. Follow your company's emergency procedure.

# (b) Methods for containment and cleaning up:

Dike and contain spill. For large spills remove by mechanical means and place in containers. Absorb residue or small spills with absorbent material and remove to non-leaking containers for disposal.

## **SECTION 7: HANDLING AND STORAGE**

#### (a) Precautions for safe handling:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.



Avoid breathing fume/mist/ vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

## (b) Conditions for safe storage:

Store locked up.

**Incompatibilities:** Keep away from strong oxidizing agents.

#### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

(a) Permissible exposure limits		OSHA PEL		Cal/OSHA	NIOSH	ACGIH
				PEL	REL	2015 TVL
Substance	CAS#	ppm	mg/m <sup>3</sup>	8-hour TWA (ST) STEL (C) Ceiling	Up to 10- hour TWA (ST)	8-hour TWA (ST) STEL (C) Ceiling
					STEL (C) Ceiling	
No hazardous ingredients in this mixture appear on OSHA Annotated Tables Z-1, Z-2, or Z-3.						

#### (b) Appropriate engineering controls:

**Ventilation requirements:** Handle only in a place equipped with local exhaust (or other appropriate exhaust). Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

General protective measures: Ensure that eye flushing /eye wash stations, and hand washing areas are accessible.

## (c) Personal protective equipment:

**Inhalation:** Avoid breathing fume/mist/ vapors/spray. Where fume/mist/ vapors/spray is present, an organic vapor respirator is recommended.

**Skin Contact:** Wear protective gloves, and protective clothing. Contaminated work clothing must not be allowed out of the workplace. Nitrile gloves are recommended: for example Ansell Sol-Vex, nitrile.

**Eye Contact**: Where fume/mist/ vapors/spray is present, wear eye protection. Eye protective devices must comply with ANSI Z87.1-1989. Recommended eye protection: goggles or safety eye shield.

Ingestion: Avoid eating, drinking, or smoking in work area and wash hands after handling this product.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

(a) Appearance (physical state, color): Viscous paste, various colors

(b) Odor: Oleoresinous

(c) Odor threshold: Data not available

(d) pH: NA

(e) Melting point/ freezing point; Data not available (f) Initial Boiling point / Range: >375 °F (>190.6 °C)

(g) Flashpoint: >275 °F (>135 °C) (h) Evaporation Rate: Data not available



(i) Flammability (solid/gas): Data not available

(j) Upper/lower flammability explosion limits: Data not available

(k) Vapor Pressure (mm Hg @ 68°F): Data not available

(l) **Vapor Density** (Air = 1): Data not available

(m) Relative Density ( $H_2O = 1$ ): ~1.12

(n) Solubility: Data not available

(o) Partition coefficient n- Octanol/ Water: Data not available

(p) Auto-ignition temperature: Data not available(q) Decomposition temperature: Data not available

(r) Viscosity: Data not available

## Other properties

**VOC** % (wt.): ~12.0

**VOC:** 1.12 lbs./gal; 134 g/L

# SECTION 10: STABILITY AND REACTIVITY INFORMATION

(a) **Reactivity:** Not reactive under normal storage conditions. See Section 7.

**(b) Chemical stability:** Mixture is chemically stable under normal storage and handling conditions, and under normal temperatures and pressures.

(c) Possibility of hazardous reactions: No data available

(d) Conditions to avoid: Keep away from open flames, sparks, hot surfaces and sources of ignition.

(e) Incompatible materials: Strong oxidizers.

(f) Hazardous decomposition product: Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

(a) Likely routes of exposure: Skin contact, eye contact, inhalation, and ingestion.

#### (b) Symptoms related to physical, chemical, and toxicological characteristics:

**Skin contact:** May cause an allergic skin reaction

**Eye contact:** Data not available; not classified as hazardous **Inhalation:** Data not available; not classified as hazardous

**Ingestion:** May cause cancer

#### (c) Delayed and immediate effects, and chronic effects from long-term exposure

May cause cancer.

## (d) Numerical measures of toxicity, acute:

	CAS # (TS= trade			
Substance	secret)	Oral	Inhalation	Dermal
Distillates (petroleum), hydrotreated middle	64742-46-7	LD50 5000 mg/kg bw (rat)	LC50 (4 h) 4.6 mg/L air (rat)	LD50 2000 mg/kg bw (rabbit)
2-tert- butylhydroquinon e	1948-33-0	LD50 951 - 1131 mg/kg bw (rat)	LCLo (4 h) 2.9 mg/L air (rat)	LD50 1000 mg/kg bw (guinea pig)
Distillates (petroleum), sweetened middle	64741-86-2	LD50 5000 mg/kg bw (rat)	LC50 (4 h) 1.72 - 4.6 mg/L air (rat)	LD50 2000 mg/kg bw (rabbit)



#### (e) Carcinogens information:

IARC; Group 1 (Carcinogenic to humans), Group 2A (Probably carcinogenic to humans), or Group 2B (Possibly carcinogenic to

humans) by IARC: This mixture does not contain listed materials.

NTP; 13<sup>th</sup> Report on Carcinogens: This mixture does not contain listed materials.

OSHA: This mixture does not contain listed materials.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### (a) Ecotoxicity

**Classification of mixture:** Not classified as hazardous (b) **Persistence and degradability:** No data available (c) **Bioaccumulative potential:** No data available.

(d) Mobility in soil: No data available

(e) Other adverse effects: No known adverse effects

#### SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

#### **SECTION 14: TRANSPORT INFORMATION**

US DOT (Ground): Not regulated as a dangerous good

(a) UN number: Not regulated as a dangerous good
 (b) UN Proper Shipping Name: Not regulated as a dangerous good
 (c) Transport hazard class: Not regulated as a dangerous good
 (d) Packing Group: Not regulated as a dangerous good
 (e) Environmental hazards: Not regulated as a dangerous good

(f) Transport in bulk

MARPOL 73/78: Not regulated as a dangerous good

**IBC:** Not regulated as a dangerous good.

(g) Special Precautions: None known

## **SECTION 15: REGULATORY INFORMATION**

#### **U.S. Federal Regulations**

**TSCA Section 8(b) Inventory Status:** All ingredients in this mixture are listed on the TSCA Chemical Inventory, or are not required to be listed.

**EPCRA**, **Section 302 – Extremely hazardous substances:** This mixture does not contain listed materials.

**CERCLA Hazardous Substances:** This mixture does not contain listed materials.

#### **EPCRA Section 313 Toxic Chemicals:**

Barium Compounds N040: Pantone Warm Red, and colors made with Pantone Warm Red contain Pigment Red 53:1, CAS 5160-02-1 (21% maximum)

CAA 112(r) Regulated Chemicals for Accidental Release Prevention: This mixture does not contain listed materials.

Hazardous Air Pollutants (HAP): This mixture does not contain listed materials



#### **U.S. State Regulations**

# California Proposition 65:

**WARNING**: This product can expose you to chemicals including Pigment Red 53:1 (D&C Red No. 9)\*, which are known to the State of California to cause cancer. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>. Complete list:

- o Pigment Red 53:1 (D&C Red No. 9) CAS 5160-02-1
- \* Pantone Warm Red, and colors made with Pantone Warm Red contain Pigment Red 53:1, CAS 5160-02-1 (21% maximum)

New Jersey Right to Know: This mixture does not contain listed materials.

Oregon DEQ List of Air Toxic Contaminants: This mixture does not contain listed materials.

**Pennsylvania Right to Know:** This mixture does not contain listed materials.

# **Canadian Environmental Protection Act:**

WHMIS Classification: No data available

#### **European Chemical Agency (ECHA)**

Candidate List of Substances of Very High Concern (SoVHC), including 27 June 2018 update: This mixture does not contain listed materials.

#### **SECTION 16: OTHER INFORMATION**

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Gans Ink and Supply Co., Inc. assumes no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein. Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.

