



GANS INK
& SUPPLY CO.

Safety Data Sheet

In compliance with OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 1: IDENTIFICATION

SDS Number: S-1648, version 10/12/2018

(a) Product identifier

Gans Item ID: S-1648, S-1648D, S-1648G, S-1648P

Gans Description: Harvard Lo-Vo No65 UV Wash

(b) Other means of identification

General description: Lithographic press solvent

(c) Recommended use

Product Use: Industrial use only

Restrictions on use: Not for residential use.

(d) Supplier's details

Manufacturer: Gans Ink and Supply Co, Inc.

Address: 1441 Boyd Street
Los Angeles, CA 90033

Contact Person: Marco Ramos

Telephone: 323- 264-2200 x139

Email: MSDS@gansink.com

(e) Emergency telephone numbers:

Chemical spill or physical hazard: Contact the Local Emergency Response Agency 9-1-1 or the Local Fire Department

Ingestion or health hazard: Contact the National Capital Poison Center, Poison Control: 800 222-1222; Poison.org

SECTION 2: HAZARD(S) IDENTIFICATION

(a) Classification: Classified as Hazardous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Physical hazards: Not classified as hazardous

Health hazards:

- Skin Irritation – Category 2
- Eye Damage/Irritation – Category 2A
- Sensitization, Skin – Category 1B
- Aspiration Hazard – Category 1

(b) Label elements

Signal Word: Danger

Hazard Statements: Causes skin irritation; Causes serious eye irritation; May cause an allergic skin reaction; May be fatal if swallowed and enters airways;

Precautionary Statements: Wear protective gloves. Wear eye protection/face protection. Avoid breathing fume/mist/ vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

Response:

IF ON SKIN OR HAIR: Wash with plenty of water and mild soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Immediately call a poison center/doctor. Do NOT induce vomiting.

Storage: Store locked up.

Disposal: Dispose of contents/container to disposal recycling center. Waste management should be in full compliance with federal, state and local laws.

Hazard Pictograms:



(c) Hazards not otherwise classified: None known

(d) Ingredients of unknown acute toxicity: NA

SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

Substance	CAS # (TS = trade secret)	Conc. min. (wt. %)	Conc. max. (wt. %)
2-butoxyethanol	111-76-2	8.0%	15.0%
4-chloro- α,α,α -trifluorotoluene	98-56-6	1.0%	5.0%
White mineral oil (petroleum)	8042-47-5	20.0%	30.0%

SECTION 4: FIRST AID MEASURES

(a) Description of first aid measures:

Inhalation: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing.

Skin contact: Wash with plenty of water and mild soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion: Immediately call a poison center/doctor. Do NOT induce vomiting.

(b) Most important symptoms and effects, both acute and delayed:

Ingestion: May be fatal if swallowed and enters airways;

Inhalation: Data not available. Not classified as hazardous

Skin contact: Causes skin irritation; May cause an allergic skin reaction;

Eye contact: Causes serious eye irritation;

(c) Indication of any immediate medical attention and special treatment needed: Data not available.

SECTION 5: FIRE – FIGHTING MEASURES

(a) Extinguishing Media:

Suitable extinguishing media: Use CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Unsuitable extinguishing media: Water with full jet.

(b) Special hazards arising from the substance or mixture: None known

(c) Special protective equipment and precautions for fire-fighters: Wear NIOSH approved self-contained respiratory protective device, and fully protective fire-fighting suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

(a.i) Personal precautions: Ensure adequate ventilation for general industrial environment.

(a.ii) Protective equipment: See Section 8 for details. Use personal protective equipment that is appropriate for the general industrial environment.

(a.iii) Emergency procedures: Follow emergency procedures that are appropriate for the general industrial environment.

(b) Methods for containment and cleaning up: Dike and contain spill. Soak up with inert absorbent material.

SECTION 7: HANDLING AND STORAGE

(a) Precautions for safe handling: Do not ingest. Wear protective gloves. Wear eye protection/face protection. Avoid breathing fume/mist/ vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wash hands after handling.

(b) Conditions for safe storage: Store locked up. Keep cool. Do not freeze. Ideal storage temperature is 50-90 °F (10-32 °C).

Incompatibilities: Keep away from oxidizing agents.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

(a) Permissible exposure limits		OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TVL
Substance	CAS #	ppm	mg/m ³	8-hour TWA (ST) STEL (C) Ceiling	Up to 10-hour TWA (ST) STEL (C) Ceiling	8-hour TWA (ST) STEL (C) Ceiling
2-butoxyethanol	111-76-2	50	240	20 ppm	5 ppm	20 ppm

No other hazardous ingredients appear on OSHA Annotated Tables Z-1, Z-2, or Z-3.

(b) Appropriate engineering controls:

Ventilation requirements: Ensure adequate ventilation for general industrial environment.

General protective measures: Ensure that eye flushing /eye wash stations, and hand washing areas are accessible.

(c) Personal protective equipment:

Inhalation: Use protective equipment appropriate for the general industrial environment.

Skin Contact: Wear protective gloves. Ansell Chemical Resistance Guide, 8th Edition recommends the following glove materials for similar chemistries: Barrier, laminate film; Sol-Vex, nitrile; 29-Series,

Eye Contact: Wear eye protection, and face protection. Eye and face protective devices must comply with ANSI Z87.1-1989. Recommended eye protection: full face shield.

Ingestion: Avoid eating, drinking, or smoking in work area and wash hands after handling this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

(a) Appearance (physical state, color): Viscous, oily liquid; clear with pale yellow color

(b) Odor: Mild odor of mothballs

(c) Odor threshold: Data not available

(d) pH: Not applicable

(e) Melting point/ freezing point: Data not available

(f) Initial Boiling point / Range: >273 °F (> 133.9 °C)

(g) Flashpoint: > 199.4 °F (> 93 °C)

(h) Evaporation Rate: Data not available

(i) Flammability (solid/ gas): Data not available

(j) Upper/ lower flammability explosion limits: Data not available

(k) Vapor Pressure: Data not available

(l) Vapor Density (Air = 1): Data not available

(m) Relative Density (H₂O = 1): .88

(n) Solubility: Not miscible with water

(o) Partition coefficient n-Octanol/ Water: Data not available

(p) Auto-ignition temperature: Data not available

(q) Decomposition temperature: Data not available

(r) Viscosity: Data not available

Other properties

VOC % (wt.): 11.0

VOC: .81 (lbs./gal); 97 g/L

SECTION 10: STABILITY AND REACTIVITY INFORMATION

(a) Reactivity: Not reactive under normal storage conditions. See Section 7.

(b) Chemical stability: Mixture is chemically stable under normal storage and handling conditions, and under normal temperatures and pressures.

(c) Possibility of hazardous reactions: No data available

(d) Conditions to avoid: Keep away from high heat, and open flames.

(e) Incompatible materials: Strong oxidizers.

(f) Hazardous decomposition product: Carbon and nitrogen oxides are the main combustion gases.

SECTION 11: TOXICOLOGICAL INFORMATION

(a) Likely routes of exposure: Skin contact, eye contact, inhalation, ingestion.

(b) Symptoms related to physical, chemical, and toxicological characteristics:

Skin contact: Causes skin irritation; May cause an allergic skin reaction;

Eye contact: Causes serious eye irritation;
Inhalation: May be fatal if swallowed and enters airways;
Ingestion: May be fatal if swallowed and enters airways;

(c) Delayed and immediate effects, and chronic effects from long-term exposure

Data not available

(d) Numerical measures of toxicity, acute:

Substance	CAS # (TS= trade secret)	Oral	Inhalation	Dermal
2-butoxyethanol	111-76-2	LD50 1414 mg/kg bw (guinea pig)	LC50 (8 h) 800 ppm (rat)	LD50 2000 mg/kg bw (rat)
4-chloro- α,α,α - trifluorotoluene	98-56-6	LD50 5546 - 7270 mg/kg bw (rat)	LC50 (4 h) 32.03 mg/L air (rat)	LD50 3300 mg/kg bw (rabbit)
White mineral oil (petroleum)	8042-47-5	LD50 5000 mg/kg bw (rat)	LC50 (4 h) 5 mg/L air (rat)	LD50 2000 mg/kg bw (rabbit)

(e) Carcinogens information:

IARC, Group 1 (Carcinogenic to humans), Group 2A (Probably carcinogenic to humans), or Group 2B (Possibly carcinogenic to humans) by IARC: This mixture does not contain listed materials.

NTP, 13th Report on Carcinogens: This mixture does not contain listed materials.

OSHA: This mixture does not contain listed materials.

SECTION 12: ECOLOGICAL INFORMATION

(a) Ecotoxicity:

Classification of mixture: Not classified as Hazardous

(b) Persistence and degradability: No data available

(c) Bioaccumulative potential: No data available.

(d) Mobility in soil: No data available

(e) Other adverse effects: No known adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: TRANSPORT INFORMATION

US DOT (Ground): Not regulated as a dangerous good

(a) UN number: Not regulated as a dangerous good

(b) UN Proper Shipping Name: Not regulated as a dangerous good

(c) Transport hazard class: Not regulated as a dangerous good

(d) Packing Group: Not regulated as a dangerous good

(e) Environmental hazards: Not regulated as a dangerous good

(f) Transport in bulk

MARPOL 73/78: Not regulated as a dangerous good

IBC: Not regulated as a dangerous good.

(g) Special Precautions: None known

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations

TSCA Section 8(b) Inventory Status: All ingredients in this mixture are listed on the TSCA Chemical Inventory, or are not required to be listed.

EPCRA, Section 302 – Extremely hazardous substances: This mixture does not contain listed materials.

CERCLA Hazardous Substances: This mixture does not contain listed materials.

EPCRA Section 313 Toxic Chemicals: This mixture does not contain listed materials.

CAA 112(r) Regulated Chemicals for Accidental Release Prevention: This mixture does not contain listed materials.

Hazardous Air Pollutants (HAP): This mixture does not contain listed materials

U.S. State Regulations

California Proposition 65: This mixture does not contain listed materials.

New Jersey Right to Know:

- 2-butoxyethanol CAS 111-76-2

Oregon DEQ List of Air Toxic Contaminants:

- 2-butoxyethanol CAS 111-76-2

Pennsylvania Right to Know:

- 2-butoxyethanol CAS 111-76-2

Canadian Environmental Protection Act:

WHMIS Classification: No data available

European Chemical Agency (ECHA): This mixture does not contain listed materials.

SECTION 16: OTHER INFORMATION

The information herein is presented in good faith, based on the data available to us and is believed to be correct as of the date hereof. However, Gans Ink and Supply Co., Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Gans Ink and Supply Co., Inc. assumes no responsibility for any damages of any nature directly or indirectly resulting from the use of or reliance upon the information contained herein. Users must make their own determination as to the suitability of the product for their purpose prior to use. In accordance with good practices of personal cleanliness and hygiene, handle with due care and avoid unnecessary contact with this product.